

Port Procedures and Information for Shipping

Port of Brisbane

October 2024



Creative Commons information

© State of Queensland (Department of Transport and Main Roads) 2024



<http://creativecommons.org/licenses/by/4.0/>

This work is licensed under a Creative Commons Attribution 4.0 Licence. You are free to copy, communicate and adapt the work, as long as you attribute the authors.

The Queensland Government supports and encourages the dissemination and exchange of information. However, copyright protects this publication. The State of Queensland has no objection to this material being reproduced, made available online or electronically but only if its recognised as the owner of the copyright and this material remains unaltered.



The Queensland Government is committed to providing accessible services to Queenslanders of all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

Disclaimer: While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

Contents

Creative Commons information	2
Contents	3
List of Tables.....	11
Table of amendments.....	12
1. Introduction	13
1.1 General	13
1.2 Port description.....	13
1.3 Purpose	13
1.4 Datum	14
1.5 Definitions.....	14
1.5.1 AMSA – Australian Maritime Safety Authority.....	14
1.5.2 Australian Standard – AS 3846 – 2005.....	14
1.5.3 Commencement (Movement).....	14
1.5.4 Completion (Movement).....	15
1.5.5 Deadweight tonnage (DWT).....	15
1.5.6 Duty Harbour Master	15
1.5.7 Estimated time of arrival (ETA)	15
1.5.8 Estimated time of departure (ETD)	15
1.5.9 Extreme Weather Event	15
1.5.10 Highest astronomical tide (HAT)/lowest astronomical tide (LAT)	15
1.5.11 International Chamber of Shipping (ICS)	16
1.5.12 International Maritime Dangerous Goods Code (IMDG Code)	16
1.5.13 International Maritime Organization (IMO).....	16
1.5.14 International Safety Guide for Oil Tankers and Terminals (ISGOTT)	16
1.5.15 International Ships and Ports Security Code (ISPS Code)	16
1.5.16 International Tonnage Certificate (ITC).....	16
1.5.17 Length overall (LOA)	16
1.5.18 Local Traffic.....	16
1.5.19 Manager (Vessel Traffic Services) (MVTs)	16
1.5.20 Maritime Safety Queensland (MSQ)	17
1.5.21 MASTREP – the Modernised Australian Ship Tracking and Reporting System.....	17
1.5.22 Navigation Act	17
1.5.23 Nett explosive mass (NEM).....	17
1.5.24 Non ‘gas free’ tankers – (NGF)	17
1.5.25 Pilotage Exemption Certificate – (PEC)	17
1.5.26 Port of Brisbane Pty Ltd (PBPL).....	17
1.5.27 QSHIPS – Queensland Shipping Information Planning System.....	17
1.5.28 REEFREP	18
1.5.29 Reef VTS.....	18
1.5.30 Regional Harbour Master (RHM)	18
1.5.31 Sailing time	18
1.5.32 Ship to Ship Transfer (STS)	18
1.5.33 Tow Split.....	18
1.5.34 Tug and Tow Length - Total Combination Length.....	18
1.5.35 Under Keel Clearance (UKC).....	18

1.5.36	Vessel Traffic Service (VTS).....	19
1.5.37	Vessel Traffic Service Operator (VTSO).....	19
1.6	Contact information	19
1.6.1	The Harbour Master	19
1.6.2	VTS Centre.....	19
1.6.3	Port Corporation	19
1.7	Rules and regulations.....	20
1.7.1	Applicable regulations	20
2.	Arrival and departure procedures	21
2.1	General arrival and departure requirements	21
2.1.1	Arrival checklist	21
2.1.2	Departure checklist.....	21
2.1.3	Small Craft (Yacht) International Arrivals	22
2.2	Quarantine and Biosecurity	22
2.2.1	Ballast water information	23
2.3	Australian Border Force (Customs and Immigration).....	23
2.4	Port of Brisbane Pty Ltd Requirements	23
2.4.1	Security	23
2.4.2	Dangerous goods	23
2.5	Australian Coastal Passage Requirements	23
2.5.1	MASTREP Reporting	23
2.5.2	Reef VTS.....	24
3.	Movement and traffic procedures	25
3.1	Introduction	25
3.2	Vessel Traffic Service (VTS).....	25
3.2.1	Timely Information.....	25
3.2.2	Monitoring and management of ship traffic	25
3.2.3	Responding to developing unsafe situations	26
3.2.4	VTS Business Continuity Plan	26
3.2.5	Brisbane VTS area	26
3.2.6	VTS Role	27
3.3	VTS communications.....	28
3.3.1	Language	28
3.3.2	Voice recordings.....	28
3.3.3	Distress and Emergency	28
3.4	Port Contact Details	29
3.5	Prior Notification of Movements	29
3.6	Reporting requirements	29
3.6.1	Overview of Reporting Requirements	29
3.6.2	Arrival Reporting Requirements	31
3.6.3	Removal Reporting Requirements	31
3.6.4	Departure Reporting Requirements	32
3.7	Booking a vessel movement.....	33
3.7.1	QSHIPS – (Queensland shipping information planning system)	33
3.7.2	Removals	33
3.7.3	Booking a Tug & Tow	34
3.8	Movement scheduling.....	34
3.8.1	Confirmation of schedules.....	34

3.8.2	Schedule changes	34
3.8.3	Prioritising of ship movements	35
3.9	Movement clearance information	36
3.10	Tug and Barge/Towing Operations	36
3.10.1	Operational Rules.....	36
3.11	Mooring requirements	37
3.11.1	Separation distance between ships at the berth	37
3.11.2	Moorings – Fisherman Islands and Luggage Point.....	37
3.11.3	Moorings – Above Pelican Banks	38
3.11.4	Non pilotage removals (warping)	39
3.12	Superyacht.....	40
3.13	Detained Vessels.....	40
3.14	Reporting defects.....	40
3.15	Small vessels navigating in and near shipping channels	40
4.	Port Description	42
4.1	Geographical Areas	42
4.1.1	Pilotage area	42
4.1.2	Port of Brisbane area	42
4.1.3	Brisbane VTS area.....	42
4.2	Load lines.....	42
4.3	Maximum vessel size	42
4.4	Time zone.....	42
4.5	Working hours	42
4.6	Official Navigation Resources	42
4.6.1	Recommended Paper Charts.....	42
4.6.2	Recommended Publications	43
4.7	Shipping announcements	43
4.7.1	Notices to Mariners	43
4.8	Brisbane berth information	43
4.9	Wharf cranes and loaders	43
4.10	Anchorage areas	44
4.10.1	Point Cartwright.....	44
4.10.2	Moreton Bay (Brisbane Roads).....	44
4.10.3	Small craft anchoring.....	44
4.11	Leading Lights.....	45
4.11.1	Moreton Bay	45
4.11.2	Outer Bar Reach reciprocal leads	45
4.11.3	Below Pelican Banks.....	45
4.11.4	Above Pelican Banks	45
4.11.5	Bridge Clearance Lights	46
5.	Port navigation and operational restrictions	47
5.1	General	47
5.2	Passage Information	47
5.3	Speed Limits	47
5.3.1	Moreton Bay	47
5.3.2	Brisbane River – Gazetted Speed Limits	47
5.3.3	Brisbane River – Operational Speed Limit.....	47
5.4	Draft restrictions	48

5.4.1	Under Keel Clearance Management Overview.....	48
5.4.2	Static UKC programme (SUKC).....	48
5.4.3	Live UKC programme.....	49
5.4.4	Maximum draft forecasts.....	49
5.4.5	Hourly drafts alongside.....	49
5.4.6	Under Keel Clearances (UKCs) – Moreton Bay.....	49
5.4.7	UKC's – Brisbane River.....	49
5.4.8	UKC's – alongside berths.....	49
5.4.9	Trim and list requirements.....	50
5.5	Passing requirements.....	50
5.5.1	Local Traffic.....	50
5.5.2	Moreton Bay.....	50
5.5.3	One mile to seaward of the Entrance Channel, Entrance Channel and Outer Bar Reach	50
5.5.4	Inner Bar Beacons to Pelican Bank Buoy.....	51
5.5.5	Brisbane River upstream from the Pelican Bank Buoy.....	51
5.5.6	River Transits – advice of movement to other vessels.....	51
5.6	Maximum Ship Size.....	51
5.6.1	Below Pelican Banks.....	52
5.6.2	Above Pelican Banks.....	52
5.6.3	Above Hamilton Reach.....	52
5.6.4	Swinging – maximum ship length.....	52
5.7	Air draft/bridge heights.....	52
5.8	Specific Berth & Operational Manoeuvre Requirements.....	53
5.8.1	Ampol Products wharf - berthing/unberthing restrictions.....	53
5.8.2	Wagner Wharf – berthing/unberthing restrictions.....	53
5.8.3	+300m LOA Container - berthing/unberthing restrictions.....	53
5.8.4	QBT Berth – Ships 200m to 230m LOA, berthing/unberthing restrictions.....	54
5.8.5	Pinkenba Berth - LR1 Tankers berthing and unberthing restrictions.....	54
5.9	Restricted Visibility.....	54
5.10	Operational Wind Limitations.....	54
6.	Environmental information.....	55
6.1	Tidal information.....	55
6.1.1	Tidal information – Tsunami effects.....	55
6.2	VTS – information services.....	56
6.2.1	Tide gauges.....	56
6.2.2	Weather stations.....	56
6.3	Hazard to shipping – Jellyfish.....	57
6.4	Advisory Note – Interaction with Marine Mammals.....	57
7.	Pilotage.....	59
7.1	Vessels that require a pilot.....	59
7.2	Pilotage area.....	59
7.3	Night pilotage.....	59
7.4	Request for pilot.....	59
7.4.1	Poseidon Sea Pilots.....	59
7.5	Notice Required.....	59
7.6	Notification of Arrival.....	60
7.7	Pilot Assignment.....	60
7.7.1	2 nd Pilot - +300m LOA Container Vessels.....	60

7.8	Point Cartwright Anchorage	60
7.9	Pilot boarding position	60
7.10	Pilot boarding arrangements	60
7.10.1	Pilot Transfer Safety	61
7.11	Pilot licences	61
7.11.1	Pilotage Area Endorsements	61
7.11.2	Cancelation of licences	62
7.11.3	Pilotage Exemption Certificates	62
7.12	Pilotage area – navigational data	62
7.13	Pilotage area – marine incidents	62
7.14	Pilotage delays and cancellations	62
7.14.1	Pilotage delays – arrival	63
7.14.2	Pilotage delays – departure	63
7.14.3	Pilotage delays – removal	63
7.14.4	Aborted movement due to pilots assessment	64
7.15	Passage planning – Bridge resource management (BRM)	64
7.16	Instrument Navigation – Portable Pilot Units	64
7.17	Alcohol management	64
7.18	Master/pilot responsibilities	64
7.19	Smoking on the Bridge while under Pilotage	64
8.	Harbour Towing & Support Vessel Procedures	66
8.1	Tug booking	66
8.2	Tug Allocation – General Requirements	66
8.3	Substitution of a tug with a bow thruster	67
8.4	Escort harbour towing	67
8.4.1	+300 metre LOA Container Ships	67
8.4.2	Movements above Pelican Banks	67
8.4.3	Movements above Sir Leo Hielscher (Gateway) Bridge	67
8.5	Lines Launch Requirements	68
8.6	Push up tug for Ampol Products	68
8.7	Emergency communication – jammed radio	68
8.8	Tug companies	68
8.9	Lines launch services	69
8.10	Pilot launch services	69
9.	Work permits	70
9.1	General	70
9.2	Work permit descriptions	71
9.2.1	Immobilisation main engines	71
9.2.2	Diving or Underwater Operations	71
9.2.3	Lifeboat drills	71
9.2.4	Engine trials	71
9.2.5	Notification of handling of bulk liquids	71
9.2.6	Controlled Activities Permit (Hot work, spraying, sand blasting and overside work)	72
9.2.7	Tank/crude oil wash and tanker ballasting	72
9.2.8	Tankers at non tanker berths	72
9.2.9	Vessel Fumigation	72
9.3	Marine Civil Construction	73

10.	Dangerous cargo	74
10.1	General	74
10.1.1	Notification.....	74
10.2	Explosives	75
10.2.1	Explosives notification	75
10.2.2	Guidelines	75
10.3	Dangerous cargo limits	75
10.4	Dangerous cargo events	75
10.5	Ship to ship transfer (STS) operations	75
10.5.1	LPG Carriers	75
10.5.2	Gas Transfer operation procedures:	76
11.	Emergency Management	77
11.1	Authorities	77
11.2	Roles and responsibilities	77
11.3	Emergency Contact Numbers	78
11.4	Actions in the event of an emergency	78
11.4.1	Port community responsibilities.....	78
11.4.2	VTS Centre responsibilities	78
11.5	Marine pollution	78
11.5.1	Reporting.....	79
11.5.2	Environmental incident reporting.....	79
11.6	Marine incidents	80
11.6.1	Marine incident reporting.....	80
11.6.2	Procedures subsequent to serious marine incidents	81
11.6.3	Environmental incident reporting.....	81
11.7	Extreme Weather Event	81
11.7.1	Mooring Considerations	82
11.7.2	Extreme Weather Events Operational Limitations	82
11.7.3	Communications during Extreme Weather Events.	82
11.7.4	Port Evacuation	82
12.	Security	83
12.1	General	83
12.2	Port security procedures	83
12.2.1	Access to ships and port facilities	83
12.3	Port security contacts	84
12.4	National security	84
13.	Port State Control Inspections	85
13.1	Inspections	85
14.	Port Services	86
14.1	Bunkering, Fresh Water	86
14.2	Shipping Agencies and Liner Services	86
14.3	Port Community	86
14.3.1	Mission to Seafarers.....	86

15.	Appendices	87
15.1	Brisbane Port, Pilotage and VTS Limits.....	89
15.1.1	Brisbane VTS Area.....	89
15.1.2	Brisbane Port and Pilotage Limits	90
15.1.3	Brisbane VHF Coverage	91
15.2	Chartlets – Main Shipping Channels.....	92
15.2.1	Pilot Boarding Ground and Fairway Approach.....	92
15.2.2	North West Channel to Spitfire Channel	93
15.2.3	Spitfire Channel to Main Channel	94
15.2.4	Brisbane Roads and Ship to Ship transfer anchorages	95
15.2.5	Bar Cutting	96
15.2.6	Outer Bar to Inner Bar Reach	97
15.2.7	Inner Bar Reach	98
15.2.8	Inner Bar Reach to Swing Basin	99
15.2.9	Fisherman Islands Swing Basin	100
15.2.10	Lytton Rocks Reach	101
15.2.11	Lytton Rocks Reach to Quarantine Flats Reach.....	102
15.2.12	Quarantine Flats Reach to Lytton Reach.....	103
15.2.13	Lytton Reach to Pinkenba Reach.....	104
15.2.14	Eagle Farm Flats Reach	105
15.2.15	Parker Island Reach.....	106
15.2.16	Quarries Reach	107
15.2.17	Hamilton Reach.....	108
15.3	Wharf and berth information.....	109
15.4	Swing basin and swing areas Brisbane River.....	112
15.5	Air draft/bridge heights.....	113
15.5.1	Sir Leo Hielscher Bridges.....	113
15.5.2	Bulimba power lines	113
15.5.3	Story Bridge.....	114
15.5.4	Sir Leo Hielscher Bridges – Navigational Lights & Clearances	114
15.6	Weather Stations	115
15.7	Static Under Keel Clearances Requirements	116
15.7.1	Moreton Bay and Brisbane River	116
15.7.2	Tides – UKC required for Brisbane River.....	116
15.8	Wind Limits	117
15.8.1	How to use the Table	117
15.8.2	Below Pelican Banks, including Fisherman Island Precinct.....	118
15.8.3	Above Pelican Banks	120
15.9	Vessel Traffic Management Forms.....	121
15.9.1	VTIS A1 – Booking Form	121
15.9.2	VTIS A2 Vessel details form VTIS A2 – Booking form (Removals).....	123
15.9.3	VTIS A3 Vessel Details Form.....	124
15.9.4	VTIS A4 Form – Tug and Tow Advice.....	125
15.9.5	UKC® Vessel particulars request.....	127
15.9.6	Gas Free Status Declaration.....	128
15.9.7	‘Permission to Immobilise Main Engines’ – Sample	129
15.9.8	‘Notification to Conduct Lifeboat Drills’ – Sample	130
15.9.9	‘Permission to hold Main Engine Trials’ - Sample.....	131
15.9.10	‘Notification to tank/crude oil wash’ – Sample.....	132
15.9.11	‘Gateway Bridge Clearance form’ – Sample	133

15.10	Navigation Data	134
15.10.1	Moreton Bay Distance Tables	134
15.10.2	Moreton Bay steaming times.....	135
15.10.3	Pilotage – Brisbane River removal distances	136
15.10.4	Passage Planning	137
15.10.5	Port Evacuation Guideline.....	139

List of Tables

Table 1 – Arrival Check List	21
Table 2 – Departure Check List.....	22
Table 3 – VHF Communication Channels	28
Table 4 – Port contact details.....	29
Table 5 – Pre-entry Notification Times	29
Table 6 – Arrival Reporting Requirements	31
Table 7 – Removal Reporting Requirements	32
Table 8 – Departure Reporting Requirements.....	32
Table 9 – Morten Bay leading lights	45
Table 10 – Outer Bar Reach reciprocal leads	45
Table 11 – Below Pelican Banks - leading lights.....	45
Table 12 – Above Pelican Banks – leading lights.....	46
Table 13 – Tide Gauges.....	56
Table 14 – Weather Stations.....	57
Table 15 – Pilotage Area Endorsement Levels	62
Table 16 – Svitzer Tugs	68
Table 17 – Permit Requests.....	70
Table 18 – Dangerous Cargo Minimum Notification Times	74
Table 19 – Emergency – Roles and Responsibilities	77
Table 20 – Emergency Contact Numbers	78
Table 21 – Wharf and Berth Information	111
Table 22 – Swing Basin and swing areas Brisbane River	112
Table 23 – Air draft/bridge heights	113
Table 24 – UKC Moreton Bay and Brisbane River.....	116
Table 25 – Tides UKC for Brisbane River	116
Table 26 – Wind Limits Below Pelican Banks, including Fisherman Island Precinct.....	119
Table 27 – Wind Limits Above Pelican Banks	120
Table 28 – Moreton Bay steaming times.....	135
Table 29 – Brisbane River removal distances	136
Table 30 – Passage Planning	138

Table of amendments

Contact for enquiries and proposed changes. If you have any questions regarding this document or if you have a suggestion for improvements, please contact:

Contact Officer: Regional Harbour Master, Brisbane

Phone: +61 7 3632 7500

Fax: +61 7 3632 7500

Email: rhmbrisbane@msq.qld.gov.au

Revision Date	Page number or section	Summary of Changes	Approved by
July 2009	-	First Issue	Regional Harbour Master
May 2015	-	Second Issue	Regional Harbour Master
October 2022	Various	Including extreme weather event response, formatting	Regional Harbour Master
December 2022	Sections 1.6.2, 3.3.3, 3.4, 11.3, 11.5.1	Contact Information Updated	Regional Harbour Master
March 2023	Entire document	Amending broken links and correcting outdated corporate forms. Correction of numbering.	Regional Harbour Master
August 2023	Various	Definition of Tug & Tow lengths, including for Pilot Assignment, operational wind limits, VTS contact details, additional Current meters, engine immobilisation, fumigation, revised distance tables.	Regional Harbour Master
August 2024	Various	Update to mapping and key aids to navigation, alignment of operational warping with mooring, clarity for pilotage requirements for tug and barge operations, inclusion of amended pilotage routes and pilot boarding arrangements, tug escort above Pelican Banks including through Gateway Bridge.	Regional Harbour Master
September 2024	Section 8.2	Remove information from Tug Allocation	Regional Harbour Master
October 2024	Various	Updated broken links and maps	Regional Harbour Master