

Port Procedures and Information for Shipping

Port of Brisbane

September 2024

Creative Commons information

© State of Queensland (Department of Transport and Main Roads) 2024



<http://creativecommons.org/licenses/by/4.0/>

This work is licensed under a Creative Commons Attribution 4.0 Licence. You are free to copy, communicate and adapt the work, as long as you attribute the authors.

The Queensland Government supports and encourages the dissemination and exchange of information. However, copyright protects this publication. The State of Queensland has no objection to this material being reproduced, made available online or electronically but only if its recognised as the owner of the copyright and this material remains unaltered.



The Queensland Government is committed to providing accessible services to Queenslanders of all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

Disclaimer: While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

Contents

Creative Commons information	2
Contents	3
List of Tables.....	10
Table of amendments.....	11
1. Introduction	12
1.1 General.....	12
1.2 Port description.....	12
1.3 Purpose.....	13
1.4 Datum	13
1.5 Definitions.....	13
1.5.1 AMSA – Australian Maritime Safety Authority	13
1.5.2 Australian Standard – AS 3846 – 2005	13
1.5.3 Commencement (Movement)	14
1.5.4 Completion (Movement)	14
1.5.5 Deadweight tonnage (DWT).....	14
1.5.6 Duty Harbour Master	14
1.5.7 Estimated time of arrival (ETA).....	14
1.5.8 Estimated time of departure (ETD).....	14
1.5.9 Extreme Weather Event	14
1.5.10 Highest astronomical tide (HAT)/lowest astronomical tide (LAT)	14
1.5.11 International Chamber of Shipping (ICS).....	15
1.5.12 International Maritime Dangerous Goods Code (IMDG Code)	15
1.5.13 International Maritime Organization (IMO)	15
1.5.14 International Safety Guide for Oil Tankers and Terminals (ISGOTT)	15
1.5.15 International Ships and Ports Security Code (ISPS Code).....	15
1.5.16 International Tonnage Certificate (ITC)	15
1.5.17 Length overall (LOA)	15
1.5.18 Local Traffic.....	15
1.5.19 Manager (Vessel Traffic Services) (MVTS)	15
1.5.20 Maritime Safety Queensland (MSQ).....	16
1.5.21 MASTREP – the Modernised Australian Ship Tracking and Reporting System	16
1.5.22 Navigation Act	16
1.5.23 Nett explosive mass (NEM).....	16
1.5.24 Non ‘gas free’ tankers – (NGF)	16
1.5.25 Pilotage Exemption Certificate – (PEC).....	16
1.5.26 Port of Brisbane Pty Ltd (PBPL).....	16
1.5.27 QSHIPS – Queensland Shipping Information Planning System.....	16
1.5.28 REEFREP	16
1.5.29 Reef VTS.....	17
1.5.30 Regional Harbour Master (RHM).....	17
1.5.31 Sailing time.....	17
1.5.32 Ship to Ship Transfer (STS)	17
1.5.33 Tow Split	17
1.5.34 Tug and Tow Length - Total Combination Length	17
1.5.35 Under Keel Clearance (UKC)	17
1.5.36 Vessel Traffic Service (VTS)	18
1.5.37 Vessel Traffic Service Operator (VTSO)	18
1.6 Contact information	18

1.6.1	The Harbour Master	18
1.6.2	VTS Centre	18
1.6.3	Port Corporation.....	18
1.7	Rules and regulations.....	19
1.7.1	Applicable regulations	19
2.	Arrival and departure procedures	20
2.1	General arrival and departure requirements.....	20
2.1.1	Arrival checklist	20
2.1.2	Departure checklist.....	20
2.1.3	Small Craft (Yacht) International Arrivals	21
2.2	Quarantine and Biosecurity	22
2.2.1	Ballast water information	22
2.3	Australian Border Force (Customs and Immigration).....	22
2.4	Port of Brisbane Pty Ltd Requirements	22
2.4.1	Security	22
2.4.2	Dangerous goods	22
2.5	Australian Coastal Passage Requirements.....	23
2.5.1	MASTREP Reporting	23
2.5.2	Reef VTS.....	23
3.	Movement and traffic procedures	24
3.1	Introduction	24
3.2	Vessel Traffic Service (VTS).....	24
3.2.1	Timely Information.....	24
3.2.2	Monitoring and management of ship traffic	24
3.2.3	Responding to developing unsafe situations	25
3.2.4	VTS Business Continuity Plan.....	25
3.2.5	Brisbane VTS area	25
3.2.6	VTS Role.....	26
3.3	VTS communications.....	27
3.3.1	Language	28
3.3.2	Voice recordings.....	28
3.3.3	Distress and Emergency	28
3.4	Port Contact Details	28
3.5	Prior Notification of Movements	28
3.6	Reporting requirements.....	29
3.6.1	Overview of Reporting Requirements.....	29
3.6.2	Arrival Reporting Requirements	30
3.6.3	Removal Reporting Requirements	31
3.6.4	Departure Reporting Requirements.....	32
3.7	Booking a vessel movement	32
3.7.1	QSHIPS – (Queensland shipping information planning system)	33
3.7.2	Removals	33
3.7.3	Booking a Tug & Tow	34
3.8	Movement scheduling.....	34
3.8.1	Confirmation of schedules	34
3.8.2	Schedule changes.....	34
3.8.3	Prioritising of ship movements	35
3.9	Movement clearance information	35
3.10	Tug and Barge/Towing Operations.....	36
3.10.1	Operational Rules.....	36
3.11	Mooring requirements	37
3.11.1	Separation distance between ships at the berth.....	37

3.11.2	Moorings – Fisherman Islands and Luggage Point	37
3.11.3	Moorings – Above Pelican Banks.....	38
3.11.4	Non pilotage removals (warping).....	40
3.12	Superyacht.....	40
3.13	Detained Vessels.....	40
3.14	Reporting defects.....	41
3.15	Small vessels navigating in and near shipping channels	41
4.	Port Description	42
4.1	Geographical Areas	42
4.1.1	Pilotage area	42
4.1.2	Port of Brisbane area	42
4.1.3	Brisbane VTS area	42
4.2	Load lines	42
4.3	Maximum vessel size	42
4.4	Time zone.....	42
4.5	Working hours.....	42
4.6	Official Navigation Resources.....	42
4.6.1	Recommended Paper Charts	42
4.6.2	Recommended Publications.....	43
4.7	Shipping announcements	43
4.7.1	Notices to Mariners	43
4.8	Brisbane berth information	43
4.9	Wharf cranes and loaders	43
4.10	Anchorage areas	44
4.10.1	Point Cartwright.....	44
4.10.2	Moreton Bay (Brisbane Roads)	44
4.10.3	Small craft anchoring.....	44
4.11	Leading Lights.....	45
4.11.1	Moreton Bay	45
4.11.2	Outer Bar Reach reciprocal leads	45
4.11.3	Below Pelican Banks.....	45
4.11.4	Above Pelican Banks	46
4.11.5	Bridge Clearance Lights	46
5.	Port navigation and operational restrictions	47
5.1	General	47
5.2	Passage Information	47
5.3	Speed Limits	47
5.3.1	Moreton Bay	47
5.3.2	Brisbane River – Gazetted Speed Limits.....	47
5.3.3	Brisbane River – Operational Speed Limit	47
5.4	Draft restrictions	48
5.4.1	Under Keel Clearance Management Overview	48
5.4.2	Static UKC programme (SUKC)	49
5.4.3	Live UKC programme	49
5.4.4	Maximum draft forecasts	49
5.4.5	Hourly drafts alongside.....	49
5.4.6	Under Keel Clearances (UKCs) – Moreton Bay	49
5.4.7	UKC's – Brisbane River.....	50
5.4.8	UKC's – alongside berths	50
5.4.9	Trim and list requirements	50
5.5	Passing requirements.....	50
5.5.1	Local Traffic.....	50

5.5.2	Moreton Bay	50
5.5.3	One mile to seaward of the Entrance Channel, Entrance Channel and Outer Bar Reach.....	51
5.5.4	Inner Bar Beacons to Pelican Bank Buoy.....	51
5.5.5	Brisbane River upstream from the Pelican Bank Buoy.....	51
5.5.6	River Transits – advice of movement to other vessels	52
5.6	Maximum Ship Size.....	52
5.6.1	Below Pelican Banks.....	52
5.6.2	Above Pelican Banks	52
5.6.3	Above Hamilton Reach.....	52
5.6.4	Swinging – maximum ship length	52
5.7	Air draft/bridge heights.....	53
5.8	Specific Berth & Operational Manoeuvre Requirements	53
5.8.1	Ampol Products wharf - berthing/unberthing restrictions	53
5.8.2	Wagner Wharf – berthing/unberthing restrictions	53
5.8.3	+300m LOA Container - berthing/unberthing restrictions	53
5.8.4	QBT Berth – Ships 200m to 230m LOA, berthing/unberthing restrictions	54
5.8.5	Pinkenba Berth - LR1 Tankers berthing and unberthing restrictions	54
5.9	Restricted Visibility	54
5.10	Operational Wind Limitations.....	54
6.	Environmental information	55
6.1	Tidal information	55
6.1.1	Tidal information – Tsunami effects.....	55
6.2	VTS – information services	56
6.2.1	Tide gauges	56
6.2.2	Weather stations	56
6.3	Hazard to shipping – Jellyfish.....	57
6.4	Advisory Note – Interaction with Marine Mammals	57
7.	Pilotage	59
7.1	Vessels that require a pilot.....	59
7.2	Pilotage area.....	59
7.3	Night pilotage	59
7.4	Request for pilot.....	59
7.4.1	Poseidon Sea Pilots	59
7.5	Notice Required.....	59
7.6	Notification of Arrival.....	60
7.7	Pilot Assignment.....	60
7.7.1	2 nd Pilot - +300m LOA Container Vessels	60
7.8	Point Cartwright Anchorage.....	60
7.9	Pilot boarding position	60
7.10	Pilot boarding arrangements.....	61
7.10.1	Pilot Transfer Safety	61
7.11	Pilot licences	61
7.11.1	Pilotage Area Endorsements.....	61
7.11.2	Cancelation of licences	62
7.11.3	Pilotage Exemption Certificates.....	62
7.12	Pilotage area – navigational data.....	62
7.13	Pilotage area – marine incidents.....	63
7.14	Pilotage delays and cancellations	63
7.14.1	Pilotage delays – arrival	63
7.14.2	Pilotage delays – departure.....	63
7.14.3	Pilotage delays – removal	64
7.14.4	Aborted movement due to pilots assessment.....	64

7.15	Passage planning – Bridge resource management (BRM).....	64
7.16	Instrument Navigation – Portable Pilot Units.....	64
7.17	Alcohol management.....	64
7.18	Master/pilot responsibilities	65
7.19	Smoking on the Bridge while under Pilotage	65
8.	Harbour Towage & Support Vessel Procedures	66
8.1	Tug booking.....	66
8.2	Tug Allocation – General Requirements	66
8.3	Substitution of a tug with a bow thruster.....	67
8.4	Escort harbour towage	67
8.4.1	+300 metre LOA Container Ships	67
8.4.2	Movements above Pelican Banks	67
8.4.3	Movements above Sir Leo Hielscher (Gateway) Bridge	68
8.5	Lines Launch Requirements	68
8.6	Push up tug for Ampol Products	68
8.7	Emergency communication – jammed radio	68
8.8	Tug companies	68
8.9	Lines launch services	69
8.10	Pilot launch services.....	69
9.	Work permits	70
9.1	General.....	70
9.2	Work permit descriptions	71
9.2.1	Immobilisation main engines	71
9.2.2	Diving or Underwater Operations	71
9.2.3	Lifeboat drills	71
9.2.4	Engine trials	71
9.2.5	Notification of handling of bulk liquids	71
9.2.6	Controlled Activities Permit (Hot work, spraying, sand blasting and overside work).....	72
9.2.7	Tank/crude oil wash and tanker ballasting	72
9.2.8	Tankers at non tanker berths	72
9.2.9	Vessel Fumigation.....	73
9.3	Marine Civil Construction.....	73
10.	Dangerous cargo.....	75
10.1	General.....	75
10.1.1	Notification	75
10.2	Explosives	76
10.2.1	Explosives notification	76
10.2.2	Guidelines	76
10.3	Dangerous cargo limits	76
10.4	Dangerous cargo events	76
10.5	Ship to ship transfer (STS) operations	76
10.5.1	LPG Carriers	77
10.5.2	Gas Transfer operation procedures:.....	77
11.	Emergency Management.....	79
11.1	Authorities	79
11.2	Roles and responsibilities	79
11.3	Emergency Contact Numbers	80
11.4	Actions in the event of an emergency.....	80
11.4.1	Port community responsibilities	80

11.4.2	VTS Centre responsibilities	80
11.5	Marine pollution.....	81
11.5.1	Reporting.....	81
11.5.2	Environmental incident reporting	82
11.6	Marine incidents	82
11.6.1	Marine incident reporting	82
11.6.2	Procedures subsequent to serious marine incidents	83
11.6.3	Environmental incident reporting	83
11.7	Extreme Weather Event	83
11.7.1	Mooring Considerations	84
11.7.2	Extreme Weather Events Operational Limitations.....	84
11.7.3	Communications during Extreme Weather Events.....	84
11.7.4	Port Evacuation.....	84
12.	Security	85
12.1	General.....	85
12.2	Port security procedures	85
12.2.1	Access to ships and port facilities.....	85
12.3	Port security contacts.....	86
12.4	National security	86
13.	Port State Control Inspections	87
13.1	Inspections	87
14.	Port Services	88
14.1	Bunkering, Fresh Water.....	88
14.2	Shipping Agencies and Liner Services	88
14.3	Port Community	88
14.3.1	Mission to Seafarers.....	88
15.	Appendices	89
15.1	Brisbane Port, Pilotage and VTS Limits	91
15.1.1	Brisbane VTS Area.....	91
15.1.2	Brisbane Port and Pilotage Limits	92
15.1.3	Brisbane VHF Coverage	93
15.2	Chartlets – Main Shipping Channels	94
15.2.1	Pilot Boarding Ground and Fairway Approach	94
15.2.2	North West Channel to Spitfire Channel.....	95
15.2.3	Spitfire Channel to Main Channel.....	96
15.2.4	Brisbane Roads and Ship to Ship transfer anchorages.....	97
15.2.5	Bar Cutting	98
15.2.6	Outer Bar to Inner Bar Reach.....	99
15.2.7	Inner Bar Reach	100
15.2.8	Inner Bar Reach to Swing Basin	101
15.2.9	Fisherman Islands Swing Basin	102
15.2.10	Lytton Rocks Reach	103
15.2.11	Lytton Rocks Reach to Quarantine Flats Reach	104
15.2.12	Quarantine Flats Reach to Lytton Reach	105
15.2.13	Lytton Reach to Pinkenba Reach	106
15.2.14	Eagle Farm Flats Reach.....	107
15.2.15	Parker Island Reach	108
15.2.16	Quarries Reach	109
15.2.17	Hamilton Reach.....	110

15.3	Wharf and berth information	111
15.4	Swing basin and swing areas Brisbane River	114
15.5	Air draft/bridge heights.....	115
15.5.1	Sir Leo Hielscher Bridges	115
15.5.2	Bulimba power lines	115
15.5.3	Story Bridge	115
15.5.4	Sir Leo Hielscher Bridges – Navigational Lights & Clearances	116
15.6	Weather Stations	117
15.7	Static Under Keel Clearances Requirements.....	118
15.7.1	Moreton Bay and Brisbane River.....	118
15.7.2	Tides – UKC required for Brisbane River	118
15.8	Wind Limits	119
15.8.1	How to use the Table	119
15.8.2	Below Pelican Banks, including Fisherman Island Precinct	120
15.8.3	Above Pelican Banks	122
15.9	Vessel Traffic Management Forms	123
15.9.1	VTIS A1 – Booking Form.....	123
15.9.2	VTIS A2 Vessel details form VTIS A2 – Booking form (Removals)	125
15.9.3	VTIS A3 Vessel Details Form	126
15.9.4	VTIS A4 Form – Tug and Tow Advice	127
15.9.5	UKC® Vessel particulars request	129
15.9.6	Gas Free Status Declaration	130
15.9.7	'Permission to Immobilise Main Engines' – Sample	131
15.9.8	'Notification to Conduct Lifeboat Drills' – Sample	132
15.9.9	'Permission to hold Main Engine Trials' - Sample	133
15.9.10	'Notification to tank/crude oil wash' – Sample	134
15.9.11	'Gateway Bridge Clearance form' – Sample.....	135
15.10	Navigation Data	136
15.10.1	Moreton Bay Distance Tables	136
15.10.2	Moreton Bay steaming times	137
15.10.3	Pilotage – Brisbane River removal distances	138
15.10.4	Passage Planning	139
15.10.5	Port Evacuation Guideline	141

List of Tables

Table 1 – Arrival Check List	20
Table 2 – Departure Check List.....	21
Table 3 – VHF Communication Channels	27
Table 4 – Port contact details.....	28
Table 5 – Pre-entry Notification Times	29
Table 6 – Arrival Reporting Requirements	31
Table 7 – Removal Reporting Requirements	31
Table 8 – Departure Reporting Requirements.....	32
Table 9 – Morten Bay leading lights	45
Table 10 – Outer Bar Reach reciprocal leads	45
Table 11 – Below Pelican Banks - leading lights.....	46
Table 12 – Above Pelican Banks – leading lights.....	46
Table 13 – Tide Gauges.....	56
Table 14 – Weather Stations.....	57
Table 15 – Pilotage Area Endorsement Levels	62
Table 16 – Svitzer Tugs	68
Table 17 – Permit Requests.....	70
Table 18 – Dangerous Cargo Minimum Notification Times	76
Table 19 – Emergency – Roles and Responsibilities	79
Table 20 – Emergency Contact Numbers	80
Table 21 – Wharf and Berth Information	113
Table 22 – Swing Basin and swing areas Brisbane River	114
Table 23 – Air draft/bridge heights	115
Table 24 – UKC Moreton Bay and Brisbane River	118
Table 25 – Tides UKC for Brisbane River	118
Table 26 – Wind Limits Below Pelican Banks, including Fisherman Island Precinct.....	121
Table 27 – Wind Limits Above Pelican Banks	122
Table 28 – Moreton Bay steaming times	137
Table 29 – Brisbane River removal distances	138
Table 30 – Passage Planning	140

Table of amendments

Contact for enquiries and proposed changes. If you have any questions regarding this document or if you have a suggestion for improvements, please contact:

Contact Officer: Regional Harbour Master, Brisbane

Phone: +61 7 3632 7500

Fax: +61 7 3632 7500

Email: rhmbrisbane@msq.qld.gov.au

Revision Date	Page number or section	Summary of Changes	Approved by
July 2009	-	First Issue	Regional Harbour Master
May 2015	-	Second Issue	Regional Harbour Master
October 2022	Various	Including extreme weather event response, formatting	Regional Harbour Master
December 2022	Sections 1.6.2, 3.3.3, 3.4, 11.3, 11.5.1	Contact Information Updated	Regional Harbour Master
March 2023	Entire document	Amending broken links and correcting outdated corporate forms. Correction of numbering.	Regional Harbour Master
August 2023	Various	Definition of Tug & Tow lengths, including for Pilot Assignment, operational wind limits, VTS contact details, additional Current meters, engine immobilisation, fumigation, revised distance tables.	Regional Harbour Master
August 2024	Various	Update to mapping and key aids to navigation, alignment of operational warping with mooring, clarity for pilotage requirements for tug and barge operations, inclusion of amended pilotage routes and pilot boarding arrangements, tug escort above Pelican Banks including through Gateway Bridge.	Regional Harbour Master
September 2024	Section 8.2	Remove information from Tug Allocation	Regional Harbour Master