

References

- Abrahams, H., Delaney, R. and Goudberg, N. (1993). *Fauna of Selected Areas of the North Western Highlands of Queensland*. Report to the Australian Heritage Commission.
- Abrahams, H., Mulvaney, M., Glasco, D. and Bugg, A. (1995). *Areas of Conservation Significance on Cape York Peninsula*. Australian Heritage Commission and Environmental Resources Information Network and Cape York Peninsula Land Use Strategy, Canberra.
- Accad, A; Neldner, V.J; Wilson, B.A. and Niehus, R.E. (2013) *Remnant Vegetation in Queensland. Analysis of remnant vegetation 1997-2011, including regional ecosystem information*. (Queensland Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Addicott, E.P. and Newton, M. (eds.) (2012) *Technical Descriptions of Regional Ecosystems of the Einasleigh Uplands*. (Queensland Herbarium, Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Aldrick, J.M. and Wilson, P.L. (1990). *Land Systems of the Southern Gulf Region, Northern Territory*. Technical Report No. 42. Conservation Commission of the Northern Territory, Darwin.
- Anon (1993). *Mulga region. A study of the inter-dependence of the environment, pastoral production and the economy*. Department of Lands, Brisbane.
- Atherton, R.G., Gordon, G., Porter, G. and Reimer, D.S. (unpublished report). *Fauna survey of the Diamantina Shire, Queensland*. Queensland National Parks and Wildlife Service.
- Atkinson, A. (1990). *The remarkable Undara lava tube system, North Queensland*. Tasmanian Cave and Karst Research Group, Journal No. 4.
- Australian Biological Resources Study Project (1975a). *Ecological Biogeography of Cape York Peninsula: Capelands Expedition, July 1975*. Interim Report No. 2.
- Australian Biological Resources Study Project (1975b). *Ecological Biogeography of Cape York Peninsula: Insects from the Weipa Region, February 1975*. Interim Report No. 3.
- Australian Biological Resources Study Project (1976a). *Ecological Biogeography of Cape York Peninsula: Weipa Capelands Iron Range Expedition, February 1976*. Interim Report No. 4.
- Australian Biological Resources Study Project (1976b). *Ecological Biogeography of Cape York Peninsula: Cooktown-McIlwraith Range Expedition, June-July 1976*. Interim Report No. 5.
- Australian Biological Resources Study Project (1977a). *Ecological Biogeography of Cape York Peninsula: Kowanyama Expedition, January 1977*. Interim Report No. 6.
- Australian Biological Resources Study Project (1977b). *Ecological Biogeography of Cape York Peninsula: Iron Range Torres Strait Expedition, July 1977*. Interim Report No. 7.
- Australian Geological Survey Organisation (1994). *Geology of Cape York Peninsula*. Cape York Peninsula Land Use Strategy (CYPLUS) 1:250 000 mapping coverage. Australian Geological Survey Organisation, Canberra.
- Australian Nature Conservation Agency (1996). *A Directory of Important Wetlands in Australia*. Second Edition. ANCA, Canberra.
- Barnard, D.A. and Barnard, H.G. (1925). A review of the bird life on Coomooboolaroo Station, Daringa District, Queensland, during the past fifty years. *Emu*, 24:252-265.
- Barnard, H.G. (1911). Field notes from Cape York. *Emu*, 11:17-32.
- Barry, D.H. and Campbell, P.R. (1977). A survey of the mammals and herptiles of Fraser Island, with comments on the Cooloola Peninsula, North Stradbroke, Moreton and Bribie Islands. *Occasional Paper in Anthropology*, 8:147-177.
- Batianoff, G.N., Neldner, V.J., Naylor, G.C. and Olds, J.A. (2012). *Mapping and evaluating Capricornia Cays vegetation and regional ecosystems*. Department of Science, Information Technology, Innovation and the Arts, Queensland Government. 80 pp.

- Batianoff, G. N., Naylor, G. C. & Dillewaard, H. A. (2009). *Coringa-Herald National Nature Reserve: Assessment of vegetation conditions, ecology and resilience to environmental stressors, including climate change and pests*. Brisbane: Queensland Herbarium, Environmental Protection Agency.
- Batianoff, G.N. and Champion, I. (1993). *Dalbergia sissoo, an environmental weed of the Mackay District*. Queensland Herbarium, Department of Environment and Heritage.
- Batianoff, G.N. and Dillewaard, H.A. (1994). *Gloucester Island National Park, Whitsunday Region, Queensland, July 1994*. Draft Botanical Summary Report. Queensland Herbarium, Department of Environment and Heritage, Indooroopilly.
- Batianoff, G.N. and Specht, R.L. (1992). *Queensland (Australia) serpentine vegetation*. In: The Vegetation of Ultra-mafic (Serpentine) Soils. Proceedings First International Conference on Serpentine Ecology. Andover Publishing, Hampshire, United Kingdom.
- Batianoff, G.N. and T.J. McDonald, (1980). *Capricorn Coast Sand Dune and Headland Vegetation*. Technical Bulletin No. 6. Botany Branch, Department of Primary Industries, Brisbane.
- Batianoff, G.N., Dillewaard, H.A. and Franks, A.J. (1997). *Mackay/Whitsunday Coast Vegetation and Floristics*. Queensland Herbarium, Department of Environment, Indooroopilly.
- Beadle, N.C.W. (1981). *The vegetation of Australia*. Cambridge University Press, Cambridge.
- Bean, A.R. (1991). *Vegetation of the Pioneer Peaks National Park*. Unpublished map and report, Department of Environment and Heritage.
- Bean, A.R. (1992). *Bowling Green Bay National Park Vegetation Survey*. Unpublished map and report, Department of Environment and Heritage.
- Bean, A.R. (1992). *Vegetation of Eungella National Park*. Unpublished map and report, Department of Environment and Heritage.
- Bean, A.R. (1992). *White Mountains National Park Vegetation Survey*. Internal Report, QDEH, Brisbane.
- Bean, A.R. (1994). An analysis of the vascular flora of Mt Abbot near Bowen, Queensland. *Proceedings Royal Society Queensland*, 104:43-66.
- Bean, A.R., Sparshott, K.M., McDonald, W.J.F. and Neldner, V.J. (Eds) (1998). Forest ecosystem mapping and analysis of south-eastern Queensland biogeographic region. A. Vegetation survey and mapping. Report for Queensland CRA/RFA steering committee. Queensland Herbarium and Environment Australia, Brisbane. [<http://www.affa.gov.au>]
- Beeston, G.R. and Webb, A.A. (1977). *The Ecology and Control of Eremophila mitchellii*. Technical Bulletin No. 2. Botany Branch, Department of Primary Industries, Brisbane.
- Bell, J. and Johnson, P.M. (1995). Distribution of Purple-necked Rock Wallaby, Djarra-Stockyard Creek. Internal report, Department of Environment and Heritage, Townsville, Queensland.
- Berney, F.L. (1905). Field notes on birds of the Richmond District, north Queensland. *Emu*, 5:15-20 (part I) and 72-78 (part II).
- Berney, F.L. (1906). Field notes on birds of the Richmond District, north Queensland. *Emu*, 6:41-47 (part III).
- Berney, F.L. (1907). Field notes on birds of the Richmond District, north Queensland. *Emu*, 6:106-115 (part IV) and 155-159 (part V).
- Biggs, A.J.W. and Philip, S.R. (1995). Soils of Cape York Peninsula. Queensland Department of Primary Industries, Resource Management Publication No. QV95001, Mareeba.
- Biological Environmental Research Services (1982). *Pre-feasibility Environmental Assessment. Lease SBML 9, north Queensland: Fauna*. Unpublished report to the Shell Company of Australia.
- Black, S. and Morgan, G. (1995). *Land Types of the Cape-Campaspe Plains*. Internal report, QDEH, Townsville.

- Blackman, J.G., Lawrie, B.C. and Locke, D.K. (unpublished internal report). *Dalrymple Fauna Survey data report*. Queensland National Parks and Wildlife Service, Townsville.
- Blackman, J.G., Lawrie, B.C. and Locke, D.K. (unpublished). *Dalrymple Fauna Survey data report*. QNPWS, Townsville.
- Blackman, J.G., Perry, T.W., Ford, G.I., Craven, S.A., Gardiner, S.J. and De Lai, R.J. (1996). *Queensland*. In: A Directory of Important Wetlands in Australia. Second Edition, Australian Nature Conservation Agency, Canberra.
- Blackman, J.G., Perry, T.W. and King, S.M. (2002). Northern Brigalow Belt – Priorities for Remnant Vegetation Protection. Wetland Component. Final Report for NHT Project No: 972132. Environmental Protection Agency, Townsville.
- Blake, D.H. (1987). Geology of the Mount Isa Inlier and Environs, Queensland and Northern Territory. Bureau of Mineral Resources Bulletin 225. Australian Government Publishing Service, Canberra.
- Blakers, M., Davies, S.J.J.F. and Reilly, P.N. (1984). *The Atlas of Australian Birds*. RAOU and Melbourne University Press: Melbourne.
- Blandford, D.C. and Associates Pty Ltd (1994). *Environmental Impact Statement. Skardon Kaolin Project*. Unpublished report to Venture Exploration NL.
- Boulter, S.L., Wilson, B.A., Westrup, J., Anderson, E.R., Turner, E.J. and Scanlan, J.C. (Eds) (2000). 'Native vegetation management in Queensland. Background, science and values'. Department of Natural Resources, Brisbane. 172 pp.
- Border, A. and Rowland, M.J. (1990). *The Mitchell Grass Downs Biogeographical Zone (Queensland): A Heritage Resource Assessment*. A report to the Heritage Branch DEH and AHC, Canberra.
- Bostock, P.D., Forster, P.I. and Bird, L.H. (1993 unpubl.). *Analysis of site data from World Wildlife Fund for Nature Project*. Pp.135. Department of Environment and Heritage, Brisbane.
- Boyland, D.E. (1970). Ecological and floristic studies in the Simpson desert national park, south western Queensland. *Proc. R. Soc. Qld.*, 82(1):1-16.
- Boyland, D.E. (1984). *Vegetation Survey of Queensland. South Western Queensland*. Queensland Botany Bulletin No. 4. Department of Primary Industries, Brisbane.
- Brass, L.J. (1953). *Results of the Archbold Expeditions*. No. 68. Summary of the 1948 Cape York (Australia) Expedition. *Bull. Amer. Mus. Nat. Hist.*, 102(2):138-205.
- Broadbent, J. and Clark, S. (eds.) (1976). *A faunal survey of east Australian rainforests. Studies by the Australian Museum in mid-eastern and north-eastern Queensland and northern New South Wales*. Australian Museum, Sydney.
- Brooker, M.G. and Caughley, G. (1966). The vertebrate fauna of "Gilruth Plains", south-west Queensland. *Proc. Linn. Soc. NSW.*, 90 (2):238-241.
- Brooker, M.I.H. and Kleinig, D.A. (1994). 'Field guide to eucalypts. Volume 3. Northern Australia'. Inkata Press, Sydney. 383 pp.
- Bruinsma, C and Danaher, K (1999). *Queensland Coastal Wetland Resources: Round Hill Head to Tin Can Inlet*. Information Series QI99081. Department of Primary Industries, Brisbane.
- Brushe, J. (1996 in prep). *Rodds Peninsula Vegetation Survey and Mapping*. Unpublished report, Department of Environment, Brisbane.
- Burgess, J.W. (2003). *Land Resource Assessment of the Windeyers Hill Area, Isaac- Connors and Mackenzie River Catchments, Central Queensland*. QNRM02189, Department of Natural Resources and Mines, Brisbane.
- Busby, J.R. (1991). *BIOCLIM: a bioclimatic analysis and prediction system*. In: Nature Conservation: Cost Effective Biological Surveys and Data Analysis (eds. C.R. Margules and M.P. Austin). CSIRO, Australia.

- Butler, D.W. and Fairfax, R.J. (2003). Buffel grass and fire in a Gidgee and Brigalow woodland: A case study from central Queensland. *Ecological Management and Restoration* 4:120-125.
- Byron, G. and Hall, M. (1998). *Mangrove and saltmarsh vegetation communities of Shoalwater Bay/port Clinton, central Queensland, Australia: inventory and conservation management*. Queensland department of Environment and heritage, Brisbane, 24pp.
- Cameron, E.E. and Cogger, H.G. (1992). *The Herpetofauna of the Weipa Region, Cape York Peninsula*. Technical Report No. 7. Australian Museum: Sydney.
- Cameron, J. and Blick, R. (1991). Case Study 2: Pastoralism in the Queensland Mulga Lands. Pp 75-116. In: *Recovering Ground. A case study approach to ecological sustainable rural land management*. (Eds. J.I.Cameron and J.Elix). Australian Conservation Foundation, Melbourne.
- Campbell, M.H., Bowman, A.M., Bellotti, W.D., Munich, D.J. and Nicol, H.I. (1996) Recruitment of curly Mitchell grass (*Astrebula lappacea*) in north-western New South Wales. *Rangeland Journal*, 18(1):179-187.
- Catterall, C.P. and Kingston, M. (1993). *Remnant Bushlands of South East Queensland in the 1990's: Its Distribution, Loss, Ecological Consequences, and Future Prospects*. Institute of Applied Environmental Research, Griffith University and Brisbane City Council, Nathan, Queensland.
- Central Queensland Speleological Society and Queensland National Parks and Wildlife Service (1990). *Mitchell–Palmer limestone exploration*. Trip Report No. 251.
- Chinchilla Field Naturalists' Club (1988). *Going Bush with Chinchilla Nats*. Chinchilla Field Naturalists' Club Inc., Chinchilla.
- Chivas, A.R., De Dekker, P., Nind, M., Thiriet, D., and Watson, G.A. (1986). The Pleistocene palaeoenvironmental record of Lake Buchanan: an atypical Australian playa. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 54:131–152.
- Christian, C.S., Noakes, L.C., Perry, R.A., Slatyer, R.O., Stewart, G.A. and Traves, D.M. (1954). *Survey of the Barkly Region, Northern Territory and Queensland, 1947–48*. CSIRO Land Research Series No. 3, Melbourne.
- Christian, C.S., Paterson, S.J., Perry, R.A., Slatyer, R.O., Stewart, G.A. and Traves, D.M. (1953). *Survey of the Townsville Bowen Region, North Queensland, 1950*. Land Research Series No. 2, CSIRO, Melbourne.
- Clarkson, J.R. and Neldner, V.J. (in prep.). *Plants of Cape York Peninsula. An Annotated Checklist of the Vascular Flora*. Queensland Herbarium, Department of Environment, Indooroopilly.
- Coleman, R.J., Covacevich, J. and Davie, P. (Eds.) (1984). *Focus on Stradbroke*. Boolarong Publications, Brisbane.
- Commonwealth of Australia (1992). *National Forest Policy Statement. A New Focus for Australia's Forests*, Canberra.
- Covacevich, J. (ed.) (1977). *Fauna of eastern Australian rainforests II*. Preliminary report on sites surveyed by the Queensland Museum in southeastern and far northeastern Queensland, with additional results from sites surveyed previously in northeastern Queensland. Queensland Museum: Brisbane.
- Crossman, D.G. and Reimer, D.S. (1986). Mammals, birds, reptiles and amphibians of the Taroom Shire, central Queensland. *Qd. J. Agric. Anim. Sci.*, 43:55-72.
- CSIRO (1972). *A report on the reptiles, birds and mammals of the Pluto Timber Reserve, Queensland*. CSIRO Division of Wildlife Research, Canberra.
- Cumming, R. (1992). *A reconnaissance map of the vegetation of the central–eastern and south–eastern Einasleigh Uplands*. Internal report. Queensland Department of Environment and Heritage, Townsville.
- Dames and Moore (1994). *The Century Project — Draft Impact Assessment Study Report*. Unpublished report to Century Zinc.

- DASETT (1987). *Nomination of Wet Tropical Rainforests of North-east Australia by the Government of Australia for Inclusion in the World Heritage List*. Department of the Arts, Sport, the Environment, Tourism and Territories.
- Davies, W. (1983). *Brisbane Wildlife Survey*. Wildlife Preservation Society of Queensland, Brisbane.
- Dawson, N.M. (1972). *Land Inventory and Technical Guide Miles Area Queensland*. Division of Land Utilisation Technical Bulletin No. 5, Queensland Department of Primary Industries, Brisbane.
- Dawson, N.M. (1974). *Land Systems In: Western Arid Region Land Use Study _ Part 1*. Technical Bulletin No. 12, Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- Dawson, P.E. and Morgan, B. (1974). An ornithological tour of western Queensland. *Sunbird*, 5:57-64.
- De Corte, M., Cannon, M., Barry, E., Bright, M. and Scanlen, J. (1991). *Land Degradation in the Dalrymple Shire: a preliminary assessment*. CSIRO, Townsville.
- Department of Primary Industries Resources Management (1995). *Stanthorpe 1:100 000 remnant vegetation cover mapping. M305 Murray Darling Basin Vegetation Mapping Project*. Forest Assessment Section, DPI Resource Management, Brisbane.
- Department of the Environment, Sport and Territories (1996). *State of the Environment, Australia*. An independent report presented to the Commonwealth Minister for the Environment by the State of the Environmental Advisory Council, CSIRO Publishing, Canberra.
- Deveson, E. (1980). *An inventory of Acacia peuce (F. Muell.) stands in central Australia: biogeography and ecology*. Bachelor of Arts (Honours) thesis. Department of Geography, Australian National University, Canberra.
- Dick, R. (1992). Arguing for adequate clearing controls in western New South Wales: the Culgoa River floodplain fauna study. *National Parks Journal*, 36(4): 13-18.
- Dickman, C.R. (1995). Native mammals of western New South Wales: past neglect, future rehabilitation? Pp 81-92. In: *Future of the fauna of western New South Wales*. (Eds. D.Lunney, S.Hand, P.Reed and D.Butcher). Transactions of the Royal Zoological Society of New South Wales. Surrey Beatty & Sons, Sydney.
- Dixon, J.M. and Huxley, L. (1985). *Donald Thomson's Mammals and Fishes of Northern Australia*. Nelson: Melbourne.
- Doherty, M.D. (1998). The conservation value of regrowth native plant communities: a review. Report prepared for the New South Wales Scientific Committee. CSIRO Division of Wildlife and Ecology, Canberra.
- Dowling, R.M., Daniel, A.J. & Stephens, K.M. (2003) *Enterprise Terrestrial Vegetation Survey, North Stradbroke Island*. Queensland Herbarium . Report to CRL Pty Ltd, Environmental Protection Agency, Toowong, January 2003. 101pp.
- Dowling, R.M. & Stephens, K.M. (2002) Changes in the area of mangroves and the health of coastal wetlands in south-east Queensland. in Franks, A.J., Playford, J. and Shapcott, A. (eds.) *Landscape Health of Queensland, Royal Society of Queensland*, pp87-97.
- Dowling, R.M. & Stephens, K.M. (1999) Coastal wetlands of South-eastern Queensland. Queensland Herbarium, Environmental Protection Agency, Toowong.
- Drysdale RN, Gale SJ, Fischer MJ, Scherrer NC (1998) The chemistry of karst waters, northeastern Barkly Tableland. In 'Musselbrook Reserve scientific study report'. (Eds L Comben, S Long, K Berg) pp. 97-124. (The Royal Geographic Society of Queensland Inc: Brisbane)
- Drysdale RN, Gale SJ, Fischer MJ, Scherrer NC (1998) The chemistry of karst waters, northeastern Barkly Tableland. In 'Musselbrook Reserve scientific study report (Eds L Comben,, S Long,, K Berg) pp. 97-124. (The Royal Geographic Society of Queensland Inc: Brisbane).

- Duncan, A. (1992). *Grevillea kennedyana conservation research statement*. Unpublished document prepared for Australian National Parks and Wildlife Service, Endangered Species Program, Project No. 249, Canberra.
- Dwyer, P.D., Hockings, M. and Willmer, J. (1979b). Mammals of Cooloola and Beerwah. *Proceedings Royal Society Queensland*, 90:65–84.
- Dwyer, P.D., Kikkawa, J. and Ingram, G.J. (1979a). *Habitat relations of vertebrates in subtropical heathlands of coastal southeastern Queensland*. In: "Ecosystems of the World. Volume 9A". (Ed. R.L. Specht), pp. 281–299. Elsevier: Amsterdam.
- Environmental Protection Agency (2003). *Queensland Bioregions and Subregions digital coverage. Version 4.3. Updated September 2003*. Environmental Protection Agency, Brisbane.
- Environmental Protection Agency (2003). Regional Ecosystem Description Database (REDD). Version 4.0. Updated September 2003.
- Environmental Protection Agency (2005). A method for providing baseline mapping and classification of wetlands in Queensland. EPA, Brisbane.
- Elvish, R.A. (1986). *Bird habitat relations on a tropical coastal floodplain*. M.Sc. Thesis, University of Queensland, Brisbane.
- Fairfax, R.J. and Fensham, R.J. (2000). The effects of exotic pasture development on floristic diversity in central Queensland. *Biological Conservation*. **94**(1):11-24.
- Fairfax RJ, Fensham RJ (2002). In the footsteps of J. Alfred Griffiths: a cataclysmic history of Great Artesian Basin springs in Queensland. *Australian Geographic Studies* 40: 210-230.
- Fairfax, RJ and Fensham RJ (submitted). Great Artesian Basin springs in southern Queensland 1911-2000. *Memoirs of the Queensland Museum*.
- Fanning, F.D. (1993). Fauna survey of the Osborne Project area. Unpublished report to Placer Pacific Pty Ltd.
- Fensham, R.J. (1995) Floristics and environmental relations of inland dry rainforest in north Queensland, Australia. *Journal of Biogeography*, 22: 1047-1063.
- Fensham, R.J. (1996) Land clearance and dry rainforest conservation in north Queensland, Australia. *Biological Conservation*, 75: 289-298.
- Fensham, R.J. (1996) The structure and floristics of dry rainforest at Forty Mile Scrub National Park, north Queensland. *Cunninghamia*, 4: 483-495.
- Fensham, R.J. (1997) Aboriginal fire regimes in Queensland, Australia: analysis of the explorers' record. *Journal of Biogeography*, 24: 11-22.
- Fensham, R.J. (1997) Options for conserving large vegetation remnants in the Darling Downs, south Queensland. in *Conservation outside nature reserves* P. Hale and D. Lamb (eds.) pp. 419-423. Centre for Conservation Biology, University of Queensland, Brisbane.
- Fensham, R.J. (1998a). The grassy vegetation of the Darling Downs, south-eastern Queensland, Australia. Floristics and grazing effects. *Biological Conservation*, 84:301-310.
- Fensham, R.J. (1998b) Native grasslands of the Central Highlands, Queensland, Australia. Floristics, regional context and conservation. Unpublished report to Environment Australia.
- Fensham, R.J. (1998c) Mound springs in the Dawson River Valley, Queensland. Vegetation-environment relations and consequences of a proposed impoundment on botanical values. *Pacific Conservation Biology*, 4: 42-54.
- Fensham, R.J. (1998d) The influence of cattle grazing on tree mortality after drought in savanna woodland in north Queensland. *Australian Journal of Ecology*, 23: 405-407.
- Fensham, R.J. (1998e) Final Report: Artesian Springs Survey (Phase 1: Desert Uplands). Project No: 602. Unpublished report to Environment Australia. 3pp. maps.

- Fensham, R.J. (1998f) Resolving biomass fluxes in Queensland woodlands. *Climate Change Newsletter*, 10: 13-15.
- Fensham RJ (1998g) Mound springs in the Dawson River Valley, Queensland. Vegetation environment relations and consequences of a proposed impoundment on botanical values. *Pacific Conservation Biology* 4: 42-54.
- Fensham, R.J. (1999) Native grasslands of the Central Highlands, Queensland, Australia. Floristics, regional context and conservation. *Rangeland Journal*, 21: 82-103.
- Fensham RJ (2000). The regional ecosystem concept and its application to rare plant conservation. (Eds J Playford, R Murray) In 'Threatened plants. Active bushcare.' pp. 53-56. (The Centre for Conservation Biology: Brisbane).
- Fensham, R.J. and Fairfax, R.J. (1997). The use of the land survey record to reconstruct pre-European vegetation patterns in the Darling Downs, Queensland, Australia. *Journal of Biogeography*, 24: 827-836.
- Fensham, R.J. and Holman, J.E. (1998). The use of the land survey record to assess changes in vegetation structure. A case study from the Darling Downs, Queensland, Australia. *Rangeland Journal* 20: 132-42.
- Fensham, R.J. and Holman, J.E. (1998a). The vegetation of a mesa in central Queensland. *Cunninghamia* 5(3): 619-631.
- Fensham, R.J. and Holman, J.E. (1999). Temporal and spatial patterns in drought-related tree dieback in Australian savanna *Journal of Tropical Ecology* 36: 1035-1050.
- Fensham, R.J. and Streimann, H. (1997) Broad landscape relations of the moss flora from inland dry rainforest in north Queensland, Australia. *The Bryologist*, 100: 56-64.
- Fensham R.J. and Fairfax R.J. (2002) Spring wetlands of the Great Artesian Basin, Queensland, Australia. *Wetland Ecology and Management*. (in press).
- Fensham, R.J., Fairfax, R.J. and Cannell, R.J. (1994). The invasion of *Lantana camara* L. in Forty Mile Scrub National Park, north Queensland. *Australian Journal of Ecology*, 19: 297-305.
- Fensham, R.J., McCosker, J.C. and Cox, M.J. (1998). Estimating clearance of *Acacia* dominated ecosystems in central Queensland using land system mapping data. *Australian Journal of Botany*, 46: 305-319.
- Fensham R.J. and Price R.J. (submitted) Ranking Australian spring wetlands using botanical values. *Conservation Biology*.
- Fensham, R.J., Holman, J.E. and Cox, M.J. (1999). Plant species responses along a grazing disturbance gradient in Australian grassland. *Journal of Vegetation Science*, 10: 77-86.
- Fensham, R.J. and Fairfax, R.J. (2002) Spring wetlands of the Great Artesian Basin, Queensland, Australia. *Wetland Ecology and Management*.
- Fensham, R.J. and Fairfax, R.J. (2004) Structural change in gidgee woodlands. Preliminary report. Queensland Herbarium, Environmental Protection Agency, Brisbane.
- Fensham, R.J., Fairfax, R.J. and Sharp, P.R. (2004) Spring wetlands in seasonally arid Queensland: floristics, environmental relations, classification and conservation values. *Australian Journal of Botany*, 52: 583-595.
- Fensham, R.J., Low Choy, S.J., Fairfax, R.J., Cavallaro, P.C. (2003) Modelling trends in woody vegetation structure in semi-arid Australia as determined from aerial photography. *Journal of Environmental Management*. 68, 421-436.
- Fensham, R.J., Fairfax, R.J., Holman, J.E. and Whitehead, P.J. (2002). Quantitative assessment of vegetation structural attributes from aerial photography. *International Journal of Remote Sensing*, 23(11): 2293-2317.
- Ferrier, S. and Watson, G. (1997). 'An evaluation of the effectiveness of environmental surrogates and modelling techniques in predicting the distribution of biological diversity. Consultancy report to

- the Biodiversity Convention and Strategy section of the Biodiversity Group, Environment Australia.' New South Wales National Parks and Wildlife Service, Sydney. 195 pp.
- Finlayson, C.M. (1980). Water birds recorded from five artificial lakes in north-western Queensland. *Sunbird*, 11: 49-57.
- Finlayson, H.H. (1931). On mammals from the Dawson Valley, Queensland. Part I. *Transactions Royal Society of South Australia*, 55: 67-89.
- Finlayson, H.H. (1934). On mammals from the Dawson and Fitzroy Valleys; central coastal Queensland. Part II. *Transactions Royal Society of South Australia*, 58: 218-231.
- Fisher, A. (1994). *The vertebrate fauna of Mitchell Grasslands in the Northern Territory*. Paper presented to 8th Australian Rangeland Society Biennial Conference, Katherine.
- Fisher, A. (1996). *Conservation assessment and identification of gaps in protected areas in the Mitchell grasslands, particularly in the Northern Territory*. Year 2 report to National Reserve System Cooperative Program, Australian Nature Conservation Agency, Canberra.
- Ford, G. (1995). *A survey and inventory of wetlands in the Channel Country, south-western Queensland*. Report to Australian Nature Conservation Agency, Department of Environment and Heritage, Toowoomba.
- Forshaw, J.M. and Muller, K.A. (1978). Annotated list of birds observed at Iron Range, Cape York Peninsula, Queensland, during October 1974. *Australian Bird Watcher*, 7:171-194.
- Forster, B. and Barton, A.L. (1995). *Land Systems of the Capricornia Coast*. Department of Primary Industries, Rockhampton.
- Forster, B.A. and Barton, A.L. (1995). *Land Systems of the Capricorn Coast. Maps at 1:250 000 scale*. Department of Primary Industries, Central Region, Rockhampton.
- Fox, I.D., Neldner, V.J., Bannink, P.J., Wilson, B.A., Brocklehurst, P.S., Clark, M.J., Dickinson, K.J.M., Beard, J.S., Hopkins, A.J.M., Beeston, G.R., Harvey, J.M., Thompson, E.J., Ryan, T., Thompson, S.L., Butler, D.W., Cartan, H., Addicott, E.P., Wilson, G.W., Bailey, L., Cumming, R.J., Johnson, D.C., Schmeider, M. and Stephens, K. (2001). *Vegetation map for Northern Australia*. Queensland Herbarium, Environmental Protection Agency, Brisbane.
- Fox, I.D., Neldner, V.J., Wilson, G.W. and Bannink, P.J. (2001). *Vegetation of Northern Australia*. Brisbane: Queensland Herbarium, Environmental Protection Agency.
- Franks, A.J. (2002). The ecological consequence of Buffel Grass *Cenchrus ciliaris* establishment within remnant vegetation in Queensland. *Pacific Conservation Biology* 8: 99-107.
- Galloway, R.W., Gunn, R.H. and Story, R. (1970). *Lands of the Mitchell–Normanby Area, Queensland*. Land Research Series No. 26. CSIRO, Australia.
- Galloway, R.W., Gunn, R.H., Pedley, L., Cocks, K.D. and Kalma, J.D. (1974). *Lands of the Balonne – Maranoa Area, Queensland*. Land Research Series No. 34, CSIRO, Melbourne.
- Garnett, S.T. and Bredl, R. (1985). Birds in the vicinity of Edward River settlement. *Sunbird*, 15:6-23 and 25-40.
- Geological Survey of Queensland (1975). *Queensland Geology scale 1:2 500 000*. Department of Mines, Brisbane.
- Gibbons, P., Ayers, D., Seddon, J., Doyle, S. and Briggs, S. (2005) *BioMetric Version 1.8*. A Terrestrial Biodiversity Assessment Tool for the NSW Property Vegetation Plan Developer. Operational Manual. NSW Department of Environment and Conservation. c/- CSIRO Sustainable Ecosystems, Canberra.
- Glanzig, A. (1995) *Native vegetation clearance, habitat loss and biodiversity decline. An overview of recent vegetation clearance in Australia and its implications for biodiversity*. Biodiversity Series, Paper No. 6. Biodiversity unit, Department of Environment, Sport and Territories, Canberra.
- Godwin, M.D. (undated). *Undara and associated lavafields of McBride Plateau. A speleological field guide, north Queensland, Australia*. Chillagoe Caving Club.

- Goosem S., Morgan G. and Kemp J.E. (1999). Wet Tropics. In: Sattler P.S. and Williams R.D. (eds), *The Conservation Status of Queensland Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 7/1 – 7/73.
- Gordon, G. (1978). The Bush - Here, There and Everywhere. In: *Exploration North, A Natural History of Queensland*. (ed. H.J. Lavery). Richmond Hill Press and Queensland Government.
- Graham, A. (1991). *Reptiles, amphibians and invertebrates of Mounts Elliot, Cleveland and Halifax*. QNPWS, Technical Report No. 5.
- Great Artesian Basin Consultative Council (GABCC) (2000). 'Great Artesian Basin strategic management plan.' (Great Artesian Basin Consultative Council: Canberra)
- Grundy, M.J. and Bryde, N.J. (1989). *Land Resources of the Einasleigh–Atherton Dry Tropics*. Queensland Department of Primary Industries Project Report QO89004, Brisbane.
- Gunn, R.H. and Nix, H.A. (1977). *Land Units of the Fitzroy Region, Queensland*. Land Research Series No. 29, CSIRO, Melbourne.
- Gunn, R.H., Galloway, R.W., Pedley, L. and Fitzpatrick, E.A. (1967). *Lands of the Nogoa—Belyando Area, Queensland*. Land Research Series No. 18, CSIRO, Melbourne.
- Gunn, R.H., Galloway, R.W., Walker, J., Nix, H.A., McAlpine, J.R. and Richardson, D.P. (1972). *Shoalwater Bay Area, Queensland*. Tech. Memo. 72/10, CSIRO, Division of Land Research, Canberra.
- Gutteridge, Haskins and Davey Pty Ltd (1990). *Draft Environmental Impact Statement _Proposed Airfield for the Royal Australian Air Force, Cape York Peninsula, North Queensland*. Unpublished report to Department of Defence.
- Habermehl, M.A. (1982). Springs in the Great Artesian Basin, Australia – their origin and nature. Bureau of Mineral Resources, Australia. Report 235, 50pp.
- Hall, B.P. (ed.) (1974). *Birds of the Harold Hall Australian Expeditions 1962-70*. British Museum of Natural History: London.
- Henderson, R.A. and Stephenson, P.J. (eds.) (1980). *The Geology and Geophysics of North-eastern Australia*. Geological Society of Australia, Queensland Division.
- Henderson, R.J.F. (ed) (2002). Names, distribution of Queensland plants, algae and lichens. Environmental Protection Agency, Brisbane.
- Hobson, R. (2002). Vertebrate fauna of remnant native grasslands of the eastern Darling Downs. Internal report for Environmental Protection Agency and World Wide Fund for Nature (WWF), Toowoomba.
- Hodgins, I.W. and Rogers, R.W. 1997). Correlations of stocking with the cryptogamic soil crust of a semi-arid rangeland in southwest Queensland. *Australian Journal of Ecology* 22, 425-431.
- Horsup, A., James, C. and Porter, G. (1993). Vertebrates of dry rainforest of south and mideastern Queensland. *Memoirs of the Queensland Museum*, 34:215–228.
- Horton, W. (1975). The birds of Mount Isa. *Sunbird*, 6: 49-69.
- Humphries, S.E., Groves, R.H. and Mitchell, D.S. (1991). *Plant invasions of Australian ecosystems. A status review and management directions*. Kowari 2. Australian Nature Conservation Agency, Canberra.
- Isbell, R.F. (1957). *The soils of the Inglewood-Talwood-Tara Glenmorgan Region*. Queensland Bureau of Investigation Technical Bulletin No. 5, Department of Public Lands, Brisbane.
- Isbell, R.F. (1962). *Soils and Vegetation of the Brigalow Lands, Eastern Australia*. Soils and Land Use Series No. 43, Division of Soils, CSIRO.
- Isbell, R.F. and Murtha, G.G. (1972). Vegetation. In: *Burdekin-Townsville Region, Queensland*. Resource Series (Geographic Section, Department of National Development, Canberra).

- Isbell, R.F., Stephenson, P.J., Murtha, G.G. and Gillman, G.P. (1976). *Red basaltic soils in North Queensland*. CSIRO Aust. Div. Soils Tech. Paper No. 28.
- James, C.D, Landsberg, J, Hobbs, T, Morton, S.R. (1996). *The relationship between the provision of artificial water sources in arid and semi-arid Australia, and changes in biodiversity*. A preliminary report on a consultancy undertaken for the Biodiversity Unit of the Department of Environment, Sport and Territories, CSIRO, Division of Wildlife and Ecology, Alice Springs.
- James, J.W. (1974). *A survey of the vertebrate fauna of Southwood National Park*. Technical Paper No. 1, Department of Forestry, Brisbane.
- James, R. (2001). *Fire management Systems*. Binna Burra, Green Mountains, Main Range, Mount Barney, Springbrook. CD ROM. Queensland National Parks and Wildlife Service, Brisbane.
- Jaensch R. and MCFarland, D. (2002). A population of grey grasswren *amytornis barbatus* in the Diamantina channel country, Queensland. *Sunbird*, 32 (2):
- Johnson, R.W. (1980). Studies of vegetation transect through brigalow (*Acacia harpophylla*) forest in central Queensland. *Aust. J. Ecol.*, 5:287.
- Johnson, R.W. (1980). The impact of clearing on brigalow communities and the consequences for conservation . Pp. 359-363. In: *Conservation outside nature reserves*. Centre for Conservation Biology, University of Queensland, Brisbane.
- Joint Scientific Committee, (1990). *Biological Conservation of the South–east Forests*. Report to the Hon. Alan Griffiths, MP, Minister for Resources Commonwealth of Australia and the Hon. Ian Causley, MLA, Minister for Natural Resources State of New South Wales, Canberra.
- Jones, D. (1986). A survey of the bird community of "Bullamon Plains" Thallon, southern Queensland RAOU 1985 Campout. *Sunbird*, 16:1-11.
- Jones, M.V. (1981). Birds of the Maryborough District, Queensland, 1972–1980. *Australian Bird Watcher*, 9:1–13.
- Kahn, T.P. and Lawrie, B.C. (1987). *Vine thickets of the inland Townsville region*. The Rainforest Legacy. Australian National Rainforest Study. Volume 1. Special Australian Heritage Publication Series Number 7(1). AGPS, Canberra.
- Kemp, J. (ed.) (2012) *Technical Descriptions of Regional Ecosystems of the Central Queensland Coast*. (Queensland Herbarium, Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Kemp, J.E. and Morgan, G. (1999). Regional ecosystems and land types of the southern coastal lowlands Wet Tropics Bioregion. Province 2: Tully Province. Conservation Strategy, Northern Regional Centre, Queensland Department of Environment, Townsville.
- Kemp, J.E., Morgan, G. and Cumming, R. (1999). Regional ecosystems and land types of the southern coastal lowlands Wet Tropics Bioregion. Province 1: Herbert Province. Conservation Strategy, Northern Regional Centre, Queensland Department of Environment, Townsville.
- Kent, D.J. (1987). *Mapping Units of the Mundubbera Shire*. Queensland Department of Primary Industries, Brisbane.
- Kerle, J.A. and Winter, J. (1995). Rock ringtail possum. In: *Complete Book of Australian Mammals, Second Edition*. (ed. R. Strahan). Reed Books, Sydney, pp. 242-243.
- Kingsford, R.T., Thomas, R.T. and Curtin, A.L. (2001) Conservation of wetlands in the Paroo and Warrego River catchments in arid Australia. *Pacific Conservation Biology*, 7: 21-33.
- Kingsford, R.T., Ferster Levy, R. and Porter, J.L. (1993) *An aerial survey of wetland waterbirds in eastern Australia - October 1992*. Occasional Paper Number 16. New South Wales National Parks and Wildlife Service, Sydney.
- Kingsford, R.T., Porter, J.L. and Ferster Levy, R. (1994 and previous publications in this series). *An aerial survey of wetland waterbirds in eastern Australia - October 1992*. Occasional Paper Number 19. New South Wales National Parks and Wildlife Service, Sydney.

- Kirkpatrick, T.H. (1966). Mammals, birds and reptiles of the Warwick district, Queensland. 1. Introduction and mammals. *Qd J. Agric. Anim. Sci.*, 23: 591-598.
- Kirkpatrick, T.H. (1967). Mammals, birds and reptiles of the Warwick district, Queensland. 2. Birds. *Qd. J. Agric. Anim. Sci.*, 24:81-91.
- Kirkpatrick, T.H. (1968). Mammals, birds and reptiles of the Warwick district. 3. Reptiles and general conclusions. *Qd J. Agric. Anim. Sci.*, 25:235-241.
- Kirkpatrick, T.H. and Amos, P.J. (1977). Mammals and birds of the Millmerran Shire, south-east Queensland. *Qd J. Agric. Anim. Sci.*, 34:123-133.
- Kirkpatrick, T.H. and Searle, A.K. (1977). Mammals and birds of the Stanthorpe Shire, south-east Queensland. *Qd J. Agric. Anim. Sci.*, 34:109-121.
- Kuhnell, C.A., Goulevitch, B.M., Danaher, T.J. and Harris, D.P. (1998). Mapping woody vegetation cover over the state of Queensland using Landsat TM imagery.
- Proceedings for the ninth Australasian remote sensing and photogrammetry conference, Sydney, July 1998.
- Kutt, A. and Kemp, J.E. (1998). *Flora and fauna survey of the Inkerman and Molongle Blocks, Burdekin River Irrigation Area, Right Bank*. Report No. 97/24, Australian Centre for Tropical Freshwater Research, JCU, Townsville.
- Lavarack, P.S. (1991) *The Beach Scrubs of the Central Queensland Coast*. Unpublished report to ANPWS, funded by the Save the Bush Grants Scheme. Queensland Parks and Wildlife Service.
- Lavery, H.J. (1968). Mammals and birds of the Townsville district, north Queensland. 2. Birds. *Qd. J. Agric. Anim. Sci.*, 25:243-254.
- Lavery, H.J. and Johnson, P.M. (1968). Mammals and birds of the Townsville district, north Queensland. 1. Introduction and mammals. *Qd. J. Agric. Anim. Sci.*, 25:29-37.
- Lavery, H.J. and Johnson P.M. (1974). Mammals and birds of the lower Burdekin River district, north Queensland. 1. Introduction and mammals. *Qd. J. Agric. Anim. Sci.*, 31:97-104.
- Lavery, H.J. and Seton, D. (1974). Mammals and birds of the lower Burdekin River district, north Queensland. 2. Birds. *Qd. J. Agric. Anim. Sci.*, 31:371-382.
- Leach, G.J. (1988). Birds of Narayen Research Station, Mundubbera, south-east Queensland. *Sunbird*, 18:55-75.
- Leach, G.J. and Hines, H.B. (1987). Birds of the Marburg District, south-east Queensland. *Sunbird*, 17:65-95.
- Longmore, N.W. (1978). Avifauna of the Rockhampton area, Queensland. *Sunbird*, 9:25-53.
- Lord, E.A.R. (1956). The birds of the Murphy's Creek District, southern Queensland. *Emu*, 56:100-128.
- Lorimer, M. (1998). *Catchment management in the Desert Uplands. Part 2. A land resource description and evaluation*. Department of Environment, Townsville.
- Low, T. (1993). *Remnant Vegetation North of Mackay ¾ The Flora, Fauna and Conservation Issues, Part I and II*. A report to the Save the Bush Project.
- Lukas, G.P. (1993). *A review of the environmental effects of ponded pasture systems*. Report No. 93109 for the Queensland Department of Primary Industries, Australian Centre for Tropical Freshwater Research, James Cook University, Queensland.
- MacGillivray, W. (1917). Ornithologists in north Queensland. *Emu*, 17:63-87, 145-148 and 180-212.
- Mack, G. (1953). Birds from Cape York Peninsula, Queensland. *Mem. Qd. Mus.*, 13:1-39.
- Maher, M. (1995). *A thin line: Should densities of coolibah and black box be controlled in the western division of New South Wales?* Unpublished report prepared for the Western Lands Commissioner, Dubbo, NSW.

- Maher, P.N. (1995). *Night Parrot survey, techniques and habitat requirements with notes on the fauna of the Winton and Cloncurry Districts*. Report to Queensland Department of Environment and Heritage.
- McCarthy, P.W. *Floristic and Plant Attribute Patterns in Coastal Rainforest of Shoalwater Bay, Central Queensland*. Masters Thesis, University of New England, Armidale.
- McDonald, B., Gravatt, C., Grimshaw, P. and Williams, J. (1995). *The Flora of Girraween and Bald Rock National Parks*. Queensland Herbarium, Queensland Department of Environment and Heritage, Brisbane.
- McDonald, R.C., Isbell, R.F., Speight, J.G., Walker, J. and Hopkins, M.S. (eds) (1990). *Australian Soil and Land Survey Field Handbook*. Second Edition. Inkata Press, Melbourne.
- McDonald, W.J.F. (1995). *A Preliminary Floristic Classification of the Central Queensland Coast Rainforests*. Queensland Herbarium, QDEH, Brisbane.
- McDonald, W.J.F. and Elsol, J.A. (1984). *Moreton Region Vegetation Map Series. Summary Report for Caloundra, Brisbane, Beenleigh, Murwillumbah Sheets*. Botany Branch, Queensland Department of Primary Industries, Brisbane.
- McEvoy, J.S. and Kirkpatrick, T.H. (1971). Mammals and birds of Booringa Shire, Queensland. *Qd. J. Agric. Anim. Sci.*, 28:167-178.
- McEvoy, J.S., McDonald, K.R. and Searle, A.K. (1979). Mammals, birds, reptiles and amphibians of the Kilcoy Shire, Queensland. *Qd. J. Agric. Anim. Sci.*, 36:167-180.
- McFarland, D. (1992). *Fauna of the Channel Country Biogeographic Region, south west Queensland*. Unpublished report to Department of Environment and Heritage.
- McGreevy, D.G. (1987). Mammals, birds, reptiles and amphibians of the Bulloo Shire, Queensland. *Queensland Journal of Agricultural and Animal Science*, 44:75-93.
- Melzer, R. (1996). *Assessment of National Estate Values, Curtis Island*. Unpublished report, Department of Environment, Brisbane.
- Melzer, R.I., Barry, S.J. and Kershaw, N.H. (1993). *Flora Survey Shoalwater Bay Military Training Area. Report, Commonwealth Commission of Inquiry, Shoalwater Bay*. QDEH, Central Coast Region, Rockhampton.
- Mills and Lee, (1990). Land Systems. In: *Western Arid Region Land Use Study -Part 3*. Technical Bulletin No. 29, Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- Mills, (1980). Land Systems. In: *Western Arid Region Land Use Study - Part 2*. Technical Bulletin No. 22, Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- Mills, J.R., Turner, E.J. and Caltabiano, T. (1989). *Land Degradation in south west Queensland*. Project Report Q089008, Queensland Department of Primary Industries, Brisbane.
- Morgan, G. (1984). *Environmental study of the Quinkan Area, north-east Queensland, and basin for management*. Report to Quinkan Trust, Brisbane.
- Morgan, G. (1988). *Provinces of the Brigalow Belt*. Report prepared for QNPWS, Brisbane.
- Morgan, G. (1989). *Brigalow Lands Study, Report on Stage Two*. Report prepared for Queensland Department of Environment and Conservation, Brisbane.
- Morgan, G. (1990). *Report on Field Survey, Northwest Desert Uplands*. Internal report, QDEH, Townsville.
- Morgan, G. (1991). *Desert Uplands: Report on Preliminary Biogeographical Studies*. Internal report, QDEH, Townsville.
- Morgan, G. (1992). *Provinces and Land Types of the Gulf Plains*. Internal Report, Queensland Department of Environment and Heritage, Townsville, Queensland.

- Morgan, G. (1993). Land types of the North-West Highlands. Department of Environment and Heritage, Townsville, Queensland. (unpublished internal report).
- Morgan, G. (1999). Desert Uplands. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 10/ 1 – 10/35.
- Morgan, G. (1999). Einasleigh Uplands. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 9/ 1 – 9/31.
- Morgan, G. (1999). Gulf Plains. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 2/ 1 – 2/43.
- Morgan, G. (1999). Northwest Highlands. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 1/ 1 – 1/29.
- Morton, S.R. (1990). The impact of European settlement on the vertebrate animals of arid Australia: a conceptual model. *Proc. Ecol. Soc. Aust.*, 16:201-13.
- Mullins, J.A. (1980). *Land Use Study for the Millmerran, Moonie, Tara Area of Queensland*. Division of Land Utilisation Technical Bulletin No. 41, Queensland Department of Primary Industries, Brisbane.
- Munks, S.A. (1993). *Arboreal mammals in the Prairie–Torrens Creek Alluvials Province of the Desert Uplands: Distribution and habitat preference*. Report funded by the National Estate Grant Programme and the Ingram Trust.
- Neldner, V.J. (1984). *Vegetation Survey of Queensland: South Central Queensland*. Queensland Botany Bulletin No. 3, Queensland Department of Primary Industries, Brisbane.
- Neldner, V.J. (1991). *Vegetation Survey of Queensland — Central Western Queensland*. Botany Bulletin No. 9, Queensland Department of Primary Industries, Brisbane.
- Neldner, V.J. (1993). The distribution and habitats of three presumed rare species from Cape York Peninsula. *Austrobaileya*, 4:121-127.
- Neldner, V.J. (1999). Cape York Peninsula. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 3/ 1 – 3/ 85.
- Neldner, V.J., Batianoff, G.N. and Halford, D.A. (ed.) (2012) *Technical Descriptions of Regional Ecosystems and Vegetation Communities of the Capricornia Cays, SEQ*. (Queensland Herbarium, Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Neldner, V.J. and Clarkson, J.R. (in prep.). *Vegetation of Cape York Peninsula*. Queensland Herbarium, Queensland, Department of Environment, Brisbane.
- Neldner, V.J. and Clarkson, J.R. (1995). *Vegetation Survey and Mapping of Cape York Peninsula*. Cape York Peninsula Land Use Strategy, Office of the Coordinator General and Queensland, Department of Environment and Heritage, Brisbane.
- Neldner, V.J. and Paton, C.J. (1986). *Vegetation Survey of Brian Pastures Research Station, Gayndah, Queensland*. Queensland Department of Prim. Ind. Res. Est. Publication QR 86003.
- Neldner, V.J., Pollock, A.B., Wilson, B.A., Boyland, D.E., and Addicott, E. P. (2003) *Vegetation Communities and Regional Ecosystem 1:100,000 Survey and Mapping of the Mulga Lands Bioregion*. Queensland Herbarium, Environmental Protection Agency, Brisbane.
- Neldner, V.J., Fensham, R.J., Clarkson, J.R. and Stanton, J.P. (1997). The natural grasslands of Cape York Peninsula, Australia. Description, distribution and conservation status. *Biological Conservation*, 78:121-136.

- Neldner, V.J., Wilson, B. A., Thompson, E.J. and Dillewaard, H.A. (2012) *Methodology for Survey and Mapping of Regional Ecosystems and Vegetation Communities in Queensland*. Version 3.2. Queensland Herbarium, Environmental Protection Agency, Brisbane. 124 pp.
- Nix, H.A. and Switzer, M.A. (1991). *Rainforest Animals: Atlas of Vertebrates Endemic to Australia's Wet Tropics*. Kowari 1, Australian National Parks and Wildlife Service, Canberra.
- Oliver, D.L., Chambers, M.A. and Parker, D.G. (2003). Habitat and resource selection of the painted honeyeater (*Grantiella picta*) on the northern floodplains region of New South Wales. *Emu*, 103; 171-176.
- Oliver, I. Smith, P. L. Lunt, I. and Parkes, D. (2002). Pre-1750 vegetation, naturalness and vegetation condition: What are the implications for biodiversity conservation. *Ecological Management and Restoration*. 3 (3): 176-178.
- Oliver, I. and Parkes, D. (2003) A prototype toolkit for scoring the biodiversity benefits of land use change. Version 5.1. August 2003. Department of Infrastructure Planning and natural resources. Sydney NSW. [URL: http://www.dlwc.nsw.gov.au/care/biodiversity_toolkit.pdf].
- Olsen, M. (1993). *Review of Vegetation Mapping in the Southern Region of the Wet Tropics*. Unpublished Report, WTMA, Cairns.
- Orr, D.M. (1980). Effects of sheep grazing *Astrelba* grassland in central western Queensland. II Effects of seasonal rainfall. *Australian Journal of Agricultural Research*, 31:807-820.
- Passmore, J.G.I. and Brown, C.G. (1992). Property size and rangeland degradation in the Queensland mulga rangelands. *Range. J.*, 14(1):9-25.
- Passmore, M.D. (1982). Birds of Stanthorpe, Queensland, and its northern environs. *Aust. Bird Watcher*, 9:227-237.
- Pearson, R. and Clayton, P. (eds.) (1993). *Teemburra Creek Dam Study*. ACTFR, James Cook University, Townsville.
- Perry, R.A., Sleeman, J.R., Tindale, C.R., Prichard, C.E., Slatyer, R.O., Lazarides, M. and Collins, F.H. (1964). *General Report on Lands of the Leichhardt-Gilbert Area, Queensland, 1953-54*. CSIRO Land Research Series No. 11, Melbourne.
- Perry, T.W. and Craven, S.A. (in prep.). *A review of the natural values of the Wellesley Islands*. Report to the Australian Heritage Commission.
- Pettit, N.E. (2002). Riparian vegetation of a permanent waterhole on Cooper creek, southwest Queensland. *Proceedings Royal Society of Queensland*, 110:15-26.
- Pollock, A. (1995). *Sclerophyll vegetation of Conway National Park, Mount Rooper section*. Unpublished report, QDEH, Mackay.
- Pollock, A. and Edginton, M. (1999). *Regional ecosystems adjacent to the lower Dawson River, mideastern Queensland*. Unpublished report, EPA, Brisbane.
- Ponder, W.F. and Clark, G.A. (1990). A radiation of Hydrobiid snails in threatened artesian springs in western Queensland. *Records of the Australian Museum*, 42:301-363.
- Ponder, W.F. (in press) Endemic aquatic macroinvertebrates of artesian springs of the Great Artesian Basin – progress and future directions. *Memoirs of South Australian Museum*
- Ponder, W.F. (1995). Mound spring snails of the Australian Great Artesian Basin. (Ed EA Kay) In 'The conservation biology of molluscs.' pp. 13-18. (IUCN: Gland, Switzerland)
- Ponder, W.F. and Clark G.A. (1990). A radiation of hydrobiid snails in threatened artesian springs in western Queensland. *Records of the Australian Museum* 42, 301-363.
- Porter, J.W. (1982). *Terrestrial birds of the coastal lowlands of south east Queensland*. Queensland Department of Forestry Technical Paper No. 30.
- Purdie, R.W. (1984). *Land Systems of the Simpson Desert Region*. Natural Resource Series No. 2, Division of Water and Land Resources. CSIRO, Canberra.

- Purdie, R.W., Blick, R. and Bolten, M.P. (1986). Selection of a conservation reserve network in the Mulga Biogeographic Region of southwestern Queensland, Australia. *Biological Conservation*, 38:369-384.
- Queensland Department of Local Government and Planning, (1996). *Implementing SEQ 2001 Around the Region*. The SEQ 2001 Regional Planning Project Newsletter, November 1996.
- Queensland Department of Natural Resources and Mines. Australia 1:250 000 Geological Survey of Queensland (GSQ). <http://mines.industry.qld.gov.au/geoscience/about-gsq.htm>
- Queensland Herbarium, Survey and Mapping of Pre-clearing Vegetation Communities and Regional Ecosystems of Queensland, (Department of Science, Information Technology, Innovation and the Arts: Brisbane). Refer to current version.
- Queensland Herbarium, Survey and Mapping of Remnant Vegetation Communities and Regional Ecosystems of Queensland, (Department of Science, Information Technology, Innovation and the Arts: Brisbane). Refer to current version.
- Queensland Museum (1976). *Fauna of eastern Australian rainforests: Preliminary report on sites surveyed by the Queensland Museum in mid-eastern and north-eastern Queensland*. Queensland Museum, Brisbane.
- The Queensland Land Use Mapping Program (QLUMP), Science Delivery Division, Department of Science, Information Technology, Innovation and the Arts, Brisbane
<http://www.nrm.qld.gov.au/science/lump/>
- Reeders, A.P.F. and Morton, A.G. (1983). *Vertebrate fauna in the regenerated mines at Weipa*. Report to Comalco Ltd: Weipa.
- Ridley, W.F. (1962). Vegetal distribution in relation to geology in a complex part of south-east Queensland. *Proceedings Royal Society Queensland*, 73:45-59.
- Ritman, K.T. (1995). *Structural Vegetation Data: a Specifications Manual for the Murray Darling Basin Project M305*. NSW Department of Land and Water Conservation, Land Information Centre, Bathurst.
- Roberts, G.J. and Ingram, G.J. (1976). An annotated list of the land birds of Cooloola. *Sunbird*, 7:1-20.
- Rolfe, J.C., Blamey, R.K. and Bennet, J.W. (1997). *Remnant Vegetation and Broadscale Tree Clearing in the Desert Uplands Region of Queensland*. Research Report No. 3. University of New South Wales.
- Royal Geographical Society of Queensland (1993). *Cape York Peninsula Scientific Expedition, Wet Season 1992*. Report Volume 1 and 2. The Royal Geographical Society of Queensland: Brisbane.
- Russell, M.J., Young, R.A., Dorricott, K.E., Alcock, K.M., Glossop, W.J., Pitt, K.M., McKilligan, N.G. and McConnell, P. (1992). *Planning and monitoring of habitat retention in Queensland*. Final report of ESP Project No. 39. University of Southern Queensland, Toowoomba.
- Ryan, T.S. (ed.) (2012) *Technical Descriptions of Regional Ecosystems of Southeast Queensland*. (Queensland Herbarium, Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Sandercoe, C.S. (1990). *Vegetation of Magnetic Island*. Technical Report No. 1, Queensland National Parks and Wildlife Service, Brisbane.
- Sattler, P. (1995). Ecological sustainable management and the protection of biodiversity in the Mulgalands - the need for a strategic view. Pp 112. In: *Ecological research and management in the Mulgalands*. (Eds. M.Page and T.Beutel). Proceedings of Conference held 5-6 July 1994. University of Queensland, Gatton College, Gatton.
- Sattler, P.S. (1999). Introduction. In: Sattler P.S. and Williams R.D. (eds), *The Conservation Status of Queensland Bioregional Ecosystems*. Environmental Protection Agency, Brisbane.

- Sattler, P.S. and Webster, R.J. (1984). The conservation status of brigalow (*Acacia harpophylla*) communities in Queensland. In: *The Brigalow Belt of Australia* (Ed. A. Bailey). Royal Society of Queensland, Brisbane.
- Sattler, P. S. and R. D. Williams (1999) (eds) *The Conservation Status of Queensland's Bioregional ecosystems*. Environmental Protection Agency, Brisbane.
- Scanlon, J.C. (1980). Effects of spring wildfires on *Astrelba* (Mitchell Grass) Grasslands in north-west Queensland under varying levels of growing season rainfall. *Australian Rangeland Journal*, 2(2):16-28.
- Schodde, R., Catling, P.C., Mason, I.J., Richards, G.C. and Wombey, J.C. (1992). *The Land Vertebrates of the Shoalwater Bay Training Area, Queensland*. CSIRO, Division of Wildlife and Ecology, Canberra.
- Scott, G, Ballingall, M.E., Reeves, D.M., Wilson, M and Wood, V (1988) *Lake Broadwater. The natural history of an inland lake and its environs*. Darling Downs Institute Press, Toowoomba.
- SEQ2001 Regional Co-ordinator Committee (1995). *Regional Framework for Growth Management, Southeast Queensland, Brisbane*.
- Smart, J. *et al.* (1980). *The Carpentaria and Karumba Basins, North Queensland*. Bureau of Mineral Resources Bulletin 202.
- Smart, J. Grimes, K.G., Douth, H.F. and Pinchin, J. (1980). The Carpentaria and Karumba Basins, North Queensland. Bureau of Mineral Resources Bulletin 202. Australian Government Publishing Service, Canberra.
- Smith, P. and Smith, J. (1994). Historical change in the bird fauna of western New South Wales: ecological patterns and conservation implications. Pp 123-148. In: *Future of the fauna of western New South Wales*. (Eds. D.Lunney, S.Hand, P.Reed and D.Butcher). Transactions of the Royal Zoological Society of New South Wales. Surrey Beatty & Sons, Sydney.
- Specht, R.L. (1970). Vegetation. In G.W. Leeper (ed.), *The Australian Environment* (4th edition). CSIRO and Melbourne University Press, pp. 44-67.
- Speck, N.H., Wright, R.L., Sweeney, F.C., Perry, R.A., Fitzpatrick, E.A., Nix, H.A., Gunn, R.H. and Wilson, I.B. (1968). *Lands of the Dawson-Fitzroy Area, Queensland*. Land Research Series No. 21, CSIRO, Melbourne.
- Stanton, D.S., Fell, D. and Gooding, D. (2008). *Vegetation Communities and Regional Ecosystems of the Torres Strait Islands, Queensland, Australia*. 3D Environmental, Queensland.
- Stanton, J.P. (1979). *Fraser Island 1:50 000 Vegetation Maps*. Queensland Department of Forestry and Queensland National Parks and Wildlife Service, Brisbane.
- Stanton, J.P. and Fell, D. (2005). *The Rainforests of Cape York Peninsula*. Cooperative Research Centre for Tropical Rainforest Ecology and Management. Rainforest CRC, Cairns.
- Stanton, J.P. and Godwin, M. (1989). *Conservation Status of the Remaining Habitats of the Wet Tropical Lowlands of Queensland*. Internal Report, Queensland National Parks and Wildlife Service, Far Northern Region, Cairns.
- Stanton, J.P. and Morgan, G. (1977). *The Rapid Appraisal of Key and Endangered Sites: The Queensland Case Study*. School of Natural Resources, P.R. No. 4, University of New England, Armidale.
- Stanton J.P. and Stanton, D.J. (2005). *Vegetation of the Wet Tropics of Queensland bioregion*. Wet Tropics Management Authority, Cairns.
- Queensland Department of Science, Information Technology, Innovation and the Arts. 2012. Land cover change in Queensland 2009–10: a Statewide Landcover and Trees Study (SLATS) report. DSITIA, Brisbane. <http://www.qld.gov.au/environment/land/vegetation/mapping/slats-reports/>
- Stephens, K.M.(2003). *Ibis Aquatic Flora Survey, North Stradbroke Island*. Queensland Herbarium Report to CRL Pty Ltd, Environmental Protection Agency, Toowong, June 2003. 121pp.

- Storr, G.M. (1953). Birds of the Cooktown and Laura Districts, north Queensland. *Emu*, 53:225-248.
- Story, R., Galloway, R.W., Gunn, R.H. and Fitzpatrick, E.A. (1967). *Lands of the Isaac-Comet Area, Queensland*. Land Research Series NO. 19, CSIRO, Melbourne.
- Sullivan, Baxter and Lisle (2002) Low density koala populations in the Mulga Lands of SWQ I. Faecal pellet sampling protocol. *Wildlife Research*, 29: 455-465
- Symon, D.E. (1969). A checklist of flowering plants of the Simpson Desert and its immediate environs. *Tran. R. Soc. S. Aust.* 93:17-37.
- Tate, G.H.H. (1952). Results of the Archbold Expeditions. No. 66. Mammals of Cape York Peninsula, with notes on the occurrence of rainforest in Queensland. *Bull. Amer. Mus. Nat. Hist.*, 98(7):563-616.
- Taylor, P. and Grimshaw, P. (1994-95). *Remnant Vegetation Project: Goondiwindi/Dalby/Chinchilla*. Queensland Department of Environment and Heritage.
- Thackway, R. and Cresswell, I.D. (1995) (Eds). *An Interim Biogeographic Regionalisation for Australia: a framework for establishing the national system of reserves, Version 4.0*. Australian Nature Conservation Agency, Canberra.
- Thomas, M.B. and McDonald, W.J.F. (1989). Rare and Threatened Plants of Queensland. 2nd Edition. Queensland Department of Primary Industries, Brisbane.
- Thomas, M.O.W.G. and Pearson, R.G. (1992). Mica Creek Power Station: Fauna Survey. Report No. 92/09 ACTFR, James Cook University, Townsville.
- Thomas, M.O.W.G., Coughlan, J.F. and Pearson, R.G. (1992). Preliminary Fauna Survey of the Mount Isa region. Report No. 92/07 ACTFR, James Cook University, Townsville.
- Thompson, E.J. (ed.) (2012) *Technical Descriptions of Regional Ecosystems of the Desert Uplands*. (Queensland Herbarium, Department of Science, Information Technology, Innovation and the Arts: Brisbane).
- Thomson, D.F. (1935). *Birds of Cape York Peninsula*. Government Printer: Melbourne.
- Thurgate, M.E. and Moloney, J.M. (1996). *The Central Queensland Coast Biogeographic Region: Regional Assessment and Analysis of National Estate Representativeness*. Department of Tropical Environment Studies and Geography. James Cook University, Townsville.
- Timms, B.V. (1979). The benthos of some lakes in northeastern Queensland. *Proceedings of the Royal Society of Queensland*, 90:57-64.
- Tongway, D.J. and Ludwig, J.A. (1995). Function and dysfunction in mulga woodlands. Pp 85-90. In: *Ecological research and management in the Mulgalands*. (Eds. M.Page and T.Beutel). Proceedings of Conference held 5-6 July 1994. University of Queensland, Gatton College, Gatton.
- Tohill, J.C. and Gillies, C. (1992) *The pasture lands of northern Australia: their condition, productivity and sustainability*. Tropical Grassland Society of Australia, occasional paper No. 5.
- Tracey, J.G. (1982). *The Vegetation of the Humid Tropical Region of North Queensland*. CSIRO, Melbourne.
- Tracey, J.G. and Webb, L.J. (1975). *Vegetation of the Humid Tropical Region of North Queensland*, CSIRO Division of Plant Industry, Long Pocket Laboratories, Indooroopilly: 15 maps at 1:100 000 + key.
- Trennery, M. and Fisk, P. (1990). Tick Hill fauna assessment. Unpublished report to Carpentaria Gold Pty Ltd.
- Turner, E.J., Beeston, G.R., Lee, A.N., Ahern, C.R. and Hughes, K.K. (1978). *Western Arid Region Land Use Study, Part IV*. Tech. Bull. 23, Division of Land Utilisation, Department of Primary Industries, Brisbane.

- Turner, E.J., McDonald, W.J.F., Ahern, C.R. and Thomas, M.B. (1993) *Western Arid Region Land Use Study _ Part 5*. Technical Bulletin No. 30, Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- U.N.E. Exploration Society (1962). *Scientific Report on Expedition to North Queensland*. Report No. 2, University of New England: Armidale.
- Valentine, P. and Johnson, S. (1992). Late dry season butterflies on Cape York Peninsula. *Vict. Entomologist*, 22:87-91.
- Van Dyck, S. and Gynther, I. (1996). Conservation of the false water-rat *Xeromys myoides*. Biological Conservation of rodents in Australia. The Australian Mammal Society Conference handbook. 42nd Meeting p 83.
- Van Dyck, S. and Gynther, I. (2003). Nesting strategies of the water mouse *Xeromys myoides* in southeast Queensland. *Memoirs of the Queensland Museum* 49(1): 453-479.
- Vandersee, B.E. (1975). *Land Inventory and Technical Guide Eastern Downs Area Queensland*. Division of Land Utilisation Technical Bulletin No. 7, Queensland Department of Primary Industries, Brisbane.
- Vandersee, B.E. (1978). *Cooyar Grazing Lands Study*. Division of Land Utilisation Technical Bulletin No. 34, Queensland Department of Primary Industries, Brisbane.
- Vandersee, B.E. and Kent, D.J. (1982). *Mapping Units of the South Burnett*. Queensland Department of Primary Industries, Brisbane.
- Venz, M., Mathieson, M. and Schulz, M. (2002) *Fauna of the Dawson River Floodplain – An Assessment of Fauna Downstream of the Proposed Nathan Dam*. Unpublished report, EPA, Brisbane.
- Vernon, D.P. and Barry, D.H. (1972). Birds of Fraser Island and adjacent waters. *Mem. Qd. Mus.*, 16:223–232.
- Vernon, D.P. and Martin, J.H.D. (1975). Birds of Moreton Island and adjacent waters. *Mem. Qd. Mus.*, 17:329–333.
- Wager, R. (1994). *The Distribution of Two Endangered Fish in Queensland. Final Report B: The Distribution and Status of the Red-finned Blue-eye*. Queensland Department of Primary Industries, Southern Fisheries Centre. Unpublished report to Endangered Species Program Project 276, Australian Nature Conservation Agency, Canberra.
- Wager, R. (1995). *Elizabeth Springs Goby and Edgbaston Goby: Distribution and Status. Mid Term Report*. Queensland Department of Primary Industries, Southern Fisheries Centre. Unpublished report to Endangered Species Program Project 417, Australian Nature Conservation Agency, Canberra.
- Wager, R. and Jackson, P. (1993). *The Action Plan for Australian Freshwater Fishes*. Australian Nature Conservation Agency, Endangered Species Program, Project No. 147. Goanna Print, P/L, Canberra.
- Walker, J. and Gillison, A.N. (1981). *Australian savannas*. In: Proceedings of SCOPE workshop on Dynamic Changes in Savanna Ecosystems, Pretoria, South Africa 1979. (eds. B.J. Huntly and B.H. Walker). Amsterdam:Elsevier.
- Wannan, B. and Buosi, P. (2003). *Vegetation Mapping and Environmental Values of Mer and Moa Islands*. Report for Island Co-ordinating Council. Natural Resource Assessments, Cairns.
- Webb, L.J. and Tracey, J.G. (1981). Australian rainforests: patterns and change. pp.605–694 In: Keast, A. (ed.) *Ecological Biogeography of Australia*. Junk, The Hague. Werren, G.L., Goosem, S., Tracey, J.G. and Stanton, J.P. (1995). *The Australian Wet Tropics Centre of Plant Diversity*. Davies, S.D., Heywood, V.H. and Hamilton, A.C. (eds) *World Centres of Plant Diversity Volume 2*. WWF/IUCN, Oxford Information Press: 500–506

- Western, E.J., Harbison, J., Leslie, J.K, Rosenthal, K.M. and Mayer, R.J. (1981). *Assessment of the agricultural and pastoral potential of Queensland*. Agricultural Branch Technical Report No. 27, Queensland Department of Primary Industries, Brisbane.
- White, H.L. (1917). North Australian birds. *Emu* 16:117-158 and 205-231.
- White, H.L. (1922). A collecting trip to Cape York Peninsula. *Emu* 22:99-116.
- Whitmore, M.J., Dow, D.D., Fisk, P. and Moffatt, J.D. (1983). An annotated list of the birds of Meandarra, Queensland. *Emu* 83:19-97.
- Wieneke, J. (1988). The birds of Magnetic Island, north Queensland. *Sunbird* 18:1-22.
- Williams, S., Pearson, R. and Burnett, S. (1993). Survey of the vertebrate fauna of the Dotswood area, north Queensland. *Mem. Qd. Mus.*, 33:361–378.
- Wilson, B.A. (1995). A vegetation monitoring program for the national parks of the Queensland mulgalands. Pp. 182-189. In: *Ecological research and management in the Mulga Lands*. (Eds. M.Page and T.Beutel). University of Queensland, Gatton College, Gatton.
- Wilson, B.A. (1995). *Artesian Springs of the Great Artesian Basin in Queensland*. Unpublished report to ANCA. SCAP S012. Department of Environment and Heritage, Toowoomba.
- Wilson, B.A. (1997). Compatibilities and conflicts between production and conservation in Queensland's Mulga Land biogeographic region. Pp. 107-114. In: *Conservation outside nature reserves*. Centre for Conservation Biology, University of Queensland, Brisbane.
- Wilson, B. A. (1999). Channel Country. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 5/ 1 – 5/31.
- Wilson, B. A. (1999). Mitchell Grass Downs. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 4/ 1 – 4/29.
- Wilson, B. A. (1999). Mulga Lands. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 6/ 1 – 6/35.
- Wilson, B.A. and Egan, S.A. (1996). *Model for bioregional management: Mulgalands south west Queensland*. Final report to the Australian Nature Conservation Agency for Phase 1 of the National Reserve Systems Cooperative Program Project N302. Department of Environment, Brisbane.
- Wilson, B. A., Neldner V.J. and Accad A. 2002. The extent and status of remnant vegetation in Queensland and its implications for statewide vegetation management and legislation. *Rangeland Journal* 24: 6-35.
- Wilson, P.R. and Purdie, R.W. (1990a). Land Systems In: Western Arid Region Land Use Study. Part 6. Technical Bulletin No. 28, Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- Wilson, P.R. and Purdie, R.W. (1990b) *Resource use*. In: Western Arid Region Land Use Study. Part 6. Technical Bulletin No 28. Division of Land Utilisation, Queensland Department of Primary Industries, Brisbane.
- Winter, J.W. (1980). *McIlwraith Range Closed Forest Fauna Survey*. Final report (outline) compiled for ANPWS. Queensland National Parks and Wildlife Service: Brisbane.
- Winter, J.W. (1981). *Mammals of the Laura District*. In: Early Man in North Queensland. (eds. A. Rosenfeld, D. Horton and J. Winter), pp. 45-49. Terra Australis No. 6, Department of Prehistory, ANU: Canberra.
- Winter, J.W. and Atherton, R.G. (1985). *Survey of the mammals and other vertebrates of the Weipa Region, Cape York Peninsula*. Queensland National Parks and Wildlife Service, Brisbane.
- Winter, J.W. and Lethbridge, P.J. (1994). *Terrestrial Vertebrate Fauna, Report on field survey subproject (NR 03) of Cape York Peninsula Land Use Strategy (CYPLUS)*. Natural Resource

Analysis Program, prepared on behalf of the Queensland Department of Environment and Heritage, October 1994.

Witt, G.B. and Pahl, L. (1995). Mulgaland communities of south-west Queensland as habitat for Koalas. Pp 91-96. In: *Ecological research and management in the Mulga lands*. (Eds. M.Page and T.Beutel). University of Queensland, Gatton College, Gatton.

Witt, G. and Betton, R.J.S. (1005). *The regional implications of "naturalness" in protected area management: A case study from the Queensland Mulgalands*. Pp 177-182. In: *Ecological research and management in the Mulga lands*. (Eds. M.Page and T.Beutel). University of Queensland, Gatton College, Gatton.

Young P.A.R. and McDonald, W.J.F. (1987). The distribution, composition and status of the rainforests of Southern Queensland. In: *The Rainforest Legacy* (Eds. G.I. Werren and A.P. Kershaw). Special Australian Heritage Publication Series Number 7(1), Canberra.

Young, P.A.R. (1981). Terrestrial Plant Ecology. In: Lacey, G. (ed.). *Initial Environmental Studies Condor*. Unpubl. Report. Environmental Consultants Ltd, Brisbane.

Young, P.A.R. (1987). Vegetation Resources. In: *Scenic Rim Resource Inventory* (Ed. G.N. Oliver). Queensland National Parks and Wildlife Service, unpubl. report, Brisbane.

Young, P.A.R. (1999). Central Queensland Coast. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 8/ 1 – 8/29.

Young, P.A.R. (1999). New England Tableland. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 13/ 1 – 13/19.

Young, P.A.R. (1996). *Vegetation Map of Brisbane Forest Park*. Unpublished map. Brisbane Forest Park, Department of Natural Resources.

Young, P.A.R. and Cotterell, M.A. (1993 unpubl.). *A Conservation Assessment of the SEQ 2001 Region*. Draft Conservation Technical Report, Department of Environment and Heritage, Brisbane.

Young, P.A.R. and Dillewaard, H.A. (1999). Southeast Queensland. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 12/ 1 – 12/ 75.

Young, P.A.R. and McDonald, T.J. (1989). *Warwick South-eastern Queensland: Vegetation Map and Description*. Queensland Botany Bulletin No. 8. Queensland Department of Primary Industries, Brisbane.

Young, P.A.R., Wilson, B.A., McCosker, J.A., Fensham, R.J., Morgan, G. and Taylor, P.M. (1999). Brigalow Belt. In P.S. Sattler and R.D. Williams (eds). *The Conservation Status of Queensland's Bioregional Ecosystems*. Environmental Protection Agency, Brisbane, pp. 11/ 1 – 11/81.