



Creative Commons information

© State of Queensland (Department of Transport and Main Roads) 2022



http://creativecommons.org.licences/by/4.0/

This work is licensed under a Creative Commons Attribution 4.0 Licence. You are free to copy, communicate and adapt the work, as long as you attribute the authors.

The Queensland Government supports and encourages the dissemination and exchange of information. However, copyright protects this publication. The State of Queensland has no objection to this material being reproduced, made available online or electronically but only if it's recognised as the owner of the copyright and this material remains unaltered.



The Queensland Government is committed to providing accessible services to Queenslanders of all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

Disclaimer: While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.



HARBOUR MASTER'S DIRECTION

Transport Operations (Marine Safety) Act 1994 Division 2, Subdivision 1, Section 86 - 92

I, Captain Frank D'Souza, Regional Harbour Master, Townsville, am appointed as harbour master under part 7 of Transport Operations (Marine Safety) Act 1994.

Under section 86 of the *Transport Operations* (*Marine Safety*) Act 1994 a harbour master may give a direction only if the harbour master reasonably considers it necessary to ensure safety. Further, section 86A of the *Transport Operations* (*Marine Safety*) Act 1994 enables a harbour master to give a general direction that applies to all ship owners, ship masters, ships, other persons or matters.

I am satisfied that it is necessary to issue this direction to ensure marine safety in the Port of Townsville. Sections of the Port Procedures and Information for Shipping – Port of Townsville (http://www.qld.qov.au/Shippinq.aspx) are mandatory and must be complied with. Only those sections listed in Schedule 1 are mandated by this general direction.

I DIRECT THAT:

The sections of the Port Procedures Information for Shipping – Port of Townsville listed in Schedule 1 of this direction must be complied with by all ship owners, ship masters, ships, other persons or matters in the Port of Townsville.

Note:

It is an offence to fail to comply with my direction without a reasonable excuse. It is also an offence to obstruct a harbour master in the exercise of a power. The maximum penalty is 200 penalty units for an individual for each offence. If you fail to comply with my direction, then I may carry out the direction myself, and recover all expenses associated with performing the direction for you as a debt in civil jurisdiction.

Captain Frank R. D'Souza

Regional Harbour Master (Townsville)

Maritime Safety Queensland

DATED AT Townsville this 19th day of December 2024

Section	Title			
2.1	Reporting systems			
2.2	QShips			
2.3	Booking vessel movement			
2.4.5	Permission to proceed within a Port VTS area or Pilotage area.			
3.7	Tug and Tow Requirements			
3.9	Movement information and Permission to proceed			
3.9.1	Arrival – Permission to Proceed			
3.9.2	Removal – Permission to Proceed			
3.9.3	Departure – Permission to Proceed			
3.9.4	Ross River – Townsville Port Access Road Bridge			
3.11	Arrival Reporting Requirements			
3.12	Departure and Removal Reporting Requirements			
3.13	Detained Vessels			
3.14	Reporting defects			
4.5	Maximum Vessel Size			
4.6	Trim Requirements			
5.1.1	Wharf space between ships			
5.2	Berth Restrictions			
5.3	Minimum Mooring requirements			
5.4	Shore – based cargo handling equipment			
5.8.4	Anchoring Prohibited			
6.2	Cyclone Procedures			
7.3	Speed – Vessels with draft greater than 10 metres			
7.4	Speed – Vessels operating on UKC 1.3 to 1.8m than 10 metres			
7.5	Speed – Vessels with draft less than 10metres			
7.6	Speed – Vessels with LOA less than 35 metres			
7.7.1	Under Keel Clearance (UKC)			
7.9.3	Warping – Distance more than 60 metres			
7.11	Swinging and Passing Restrictions			
8.3.1	Number of pilots required			
8.4.1	Pilot Boarding Place (Ground)			
9.2	Towage requirements			
9.4	Line Boat Requirements			
10.1.1	Immobilising main engines whilst alongside			
10.1.2	Immobilising main engines whilst alongside			
10.1.3	Diving /Underwater operations – at anchorage			
10.1.4	Diving /Underwater operations – in port			
12.4	Marine Pollution Reporting			
12.5	Marine incidents			
12.6	Marine Incident Reporting			

Contents

Creativ	Creative Commons information	
Contents		5
List of Tables		11
Table o	of amendments	12
1.	Introduction	13
1.1	General	13
1.2	Port description	13
1.3	Purpose	13
1.4	Datum	14
1.5	Definitions	14
1.5.1	Australian Maritime Safety Authority – AMSA	14
1.5.2	The Australian Ship Reporting System – MASTREP	14
1.5.3	Australian Standard – AS 3846 – 2005	14
1.5.4	Lowest astronomical tide – LAT	14
1.5.5	Manager (Pilotage Services)	14
1.5.6	Manager (Vessel Traffic Services)	15
1.5.7	Maritime Safety Queensland – MSQ	15
1.5.8	Navigation Act	15
1.5.9	Overall length – LOA	15
1.5.10	Pilotage Exemption Certificate – PEC	15
1.5.11	Port of Townsville Limited – POTL – Marine Services	15
1.5.12	Queensland Shipping Information Planning System – QSHIPS	15
1.5.13	REEFREP	16
1.5.14	Reef VTS	16
1.5.15	Regional Harbour Master – RHM	16
1.5.16	Sailing time	16
1.5.17	Vessel traffic service – VTS	16
1.6	Contact information	16
1.6.1	The Regional Harbour Master	16
1.6.2	VTS centre	16
1.6.3	Port authority	17
1.6.4	Quarantine	17
1.6.5	Australian Border Force	17
1.6.6	Australian Maritime Safety Authority (AMSA)	17
1.7	Rules and regulations	18
1.7.1	General	18
1.7.2	Applicable regulations	18
1.7.3	Exemptions and permits	18
2.	Arrival and departure procedures	19
2.1	Reporting Systems	19
2.2	QSHIPS (Queensland Shipping Information Planning System)	19
2.3	Booking vessel movement	20

2.4	Reporting obligations	21
2.4.1	Ships (including combination of ships) with LOA 50m or more	21
2.4.2	Ships (including combination of ships) with LOA 35m or more but less than 50 metres	21
2.4.3	Ships (including combination of ships) with LOA less than 35m	21
2.4.4	Reporting to VTS	21
2.4.5	Permission to proceed within a Port VTS area or a Pilotage area	22
2.5	Arrival checklist	22
2.6	Departure checklist	23
2.7	Quarantine	23
2.7.1	Ballast water information	24
2.8	Customs	24
2.9	Dangerous goods	24
2.10	MASTREP	24
2.11	Reef VTS	25
2.12	Security	25
2.12	occurry	20
3.	Movement notification and traffic procedures	26
3.1	General	26
3.2	Vessel traffic service (VTS)	26
3.2.1	Townsville VTS Area	27
3.2.2	VTS role	27
3.3	VHF communications	28
3.3.1	Language	28
3.3.2	Voice recordings	28
3.3.3	Distress and emergency	28
3.4	Harbour contact details	29
3.5	Prior notification of movements	29
3.6	Pilotage delays	29
3.7	Tug and tow requirements	29
3.7.1	Notification	30
3.7.2	Operational conditions	30
3.8	Scheduling of ship movements	31
3.8.1	Schedule changes	31
3.8.2	Prioritising of ship movements	32
3.9	Movement information and Permission to Proceed	32
3.9.1	Arrivals – Permission to proceed	33
3.9.2	Removals – Permission to proceed	33
3.9.3	Departures – Permission to proceed	33
3.9.4	Ross River – Townsville Port Access Road Bridge	34
3.10	Anchoring	34
3.11	Arrival reporting requirements	34
3.12	Departure and removal reporting requirements	35
3.13	Detained Vessels	36
3.14	Reporting defects	36
3.15	Access to Regional Harbour Master (Townsville)	37
4.	Port description	38
4.1	General	38
4.2	Townsville Pilotage Area	38
4.3	Townsville Compulsory Pilotage Area	38
4.4	Load lines	39
	=	

4.5	Maximum vessel size	39
4.5.1	Vessels exceeding the maximum vessel size.	39
4.6	Trim requirements	39
4.7	Time zone	40
4.8	Working hours	40
4.9	Charts and books	40
4.9.1	Notices to Mariners	40
5.	Port infrastructure	41
5.1	Berth information	41
5.1.1	Wharf space between ships	41
5.1.2	Berthing direction	41
5.2	Berth restrictions	42
5.2.1	Tankers at berth 1	42
5.2.2	Berth T1 and T2	42
5.2.3	Berth T2,T3 and T4	43
5.2.4	Berth T8	43
5.2.5	Berth T9	43
5.2.6	Berth T10	43
5.2.7	Berth T11	43
5.3	Minimum mooring requirements	44
5.4	Shore-based cargo handling equipment	44
5.4.1	Positioning of Crane, gantry, portainer or bulk loader booms.	45
5.4.2	Crane, gantry, portainer or bulk loader, breakdown.	45
5.5	Yacht marinas	45
5.6	Townsville Ross Creek	45
5.7	Townsville Marine Precinct.	46
5.8	Anchorage areas	46
5.8.1	Inner Anchorage	46
5.8.2	Outer Anchorage	46
5.8.3	Anchoring off Australian ports	47
5.8.4	Anchoring Prohibited	47
5.9	Navigation aids	48
5.9.1	Lighthouses and leading lights in Cleveland Bay	48
5.9.2	Buoys/beacons	49
6.	Weather information	53
6.1	General	53
6.2	Cyclone procedures	53
6.2.1	Severe weather event	54
6.3	Tidal information	55
6.3.1	Tide boards/gauges	55
6.3.2	Tidal information – tsunami effects	56
6.4	Water density	56
7.	Port navigation and movement restriction	57
7.1	General	57
7.2	Speed	57
7.3	Speed - Vessels with draft greater than 10m	57
7.4	Speed – Vessels operating on UKC 1.3m to 1.8m	57
7.5	Vessels with draft less than 10m.	58

7.6	Vessels with LOA less than 35m	58
7.7	Draught Restrictions and Under Keel Clearance	58
7.7.1	Under keel clearance (UKC)	59
7.8	Approaches to pilot boarding places (AUS 256)	60
7.8.1	Dangers off Cleveland Bay	60
7.9	Shifting vessels (removals)	60
7.9.1	Warping – Distance less than 20m	60
7.9.2	Warping – Distance greater than 20m but does not exceed 60m	61
7.9.3	Warping – Distance more than 60m	61
7.10	Tug and barge operations	62
7.11	Swinging and passing restrictions	62
7.11.1	Ships with LOA greater than 306m or beam greater than 43.0m.	63
7.11.2	Ships transiting Ross River to and from Townsville Marine Precinct.	63
7.11.3	Transiting to and from Ross Creek	63
7.11.4	Port busy signal	64
7.12	Advisory Note – Interaction with Marine Mammals	64
8.	Pilotage	66
8.1	General	66
8.2	Night pilotage	67
8.3	Request for pilot	67
8.3.1	Number of pilots required	67
8.3.2	Notice required	67
8.4	Pilot Transfer Arrangements	67
8.4.1	Pilot Boarding Places (Ground)	68
8.4.2	Transfers	68
8.4.3	Pilot boat	68
8.5	Passage planning – bridge resource management (BRM)	69
8.6	Master/pilot responsibilities	69
8.6.1	Fatigue management	69
8.6.2	Alcohol consumption	70
8.7	Pilot licences, pilotage area endorsements and exemption from pilotage licences	70
8.7.1	Examination for exemption from pilotage	70
8.7.2	Pre-requisites for issue of exemption from pilotage	71
8.7.3	Cancellation of licenses	71
8.7.4	Pilotage requirements for Torres Strait and Great Barrier Reef (GBR)	71
9.	Tug Arrangements	72
9.1	General	72
9.1.1	Notification of tugs	72
9.1.2	Communicating with tugs	73
9.2	Towage requirements	73
9.2.1	Removals	74
9.3	Thrusters	74
9.4	Line boat requirements	74
10.	Work permits	75
10.1	General	75
10.1.1	Immobilisation main engines whilst alongside	76
10.1.2	Immobilisation main engines whilst at anchorage	76
10.1.3	Diving /Under water operations – at anchorage	77

10.1.4	Diving /Under water operations permit – alongside	//
10.1.5	Hot work permit	78
10.1.6	Life boat drills	78
10.1.7	Engine trials	78
10.1.8	Notification of handling of bulk liquids	78
10.1.9	Gas-free status and OBO's	79
	Overside maintenance work alongside	79
10.1.11	Overside maintenance work at anchor	80
11.	Dangerous cargo	81
11.1	General	81
11.1.1	Notification	81
11.1.2	Dangerous cargo limits	82
11.1.3	Check list of required conditions when handling Class 1.1 and 5.1 cargoes.	82
11.1.4	Dangerous cargo events	82
12.	Emergency, pollution, marine incidents	84
12.1	General	84
12.2	Authorities	85
12.3	Fire	85
12.4	Marine pollution	85
12.4.1	Reporting a pollution incident	85
12.5	Marine incidents	86
12.6	Marine incident reporting	86
12.6.1	Ships under port pilotage or command of a Pilot Exempt Master	86
12.6.2	Recreational Vessels (vessels regulated under TOMSA)	87
12.6.3	Domestic Commercial Vessels	88
•	gulated under the Marine Safety (domestic Commercial Vessels) National Law Act 2012	88
12.6.4	Marine incident reporting – Australian Maritime Safety Authority	89
12.6.5	Great Barrier Reef Marine Park Authority incident report form	89
12.6.6	Procedures subsequent to serious marine incidents	90 90
12.6.7	Port community responsibilities	90
13.	Security	91
13.1	General	91
13.1.1	Security levels	91
13.1.2	Shore access to ships and port facilities	92
13.2	Port security contacts	92
13.3	National security	93
14.	Port state control inspections	94
15.	Port services	95
15.1	Bunkering	95
15.2	Fresh water	95
15.3	Waste	95
15.4	Electric power	95
15.5	Mission to Seafarers	95
15.6	Miscellaneous contacts	96
16.	Appendices	97
16.1	Townsville Port and Pilotage	98
	ullet	

16.2	Townsville Pilotage & Compulsory Pilotage areas	99
16.3	Townsville Pilot Boarding Places	100
16.4	Townsville Prohibited Anchorage Area	101
16.5	Townsville Outer Harbour	102
16.6	Townsville Port	103
16.7	Townsville - Ross Creek and Breakwater Marina	104
16.8	Breakwater Marina Channel – Sector light	105
16.9	Townsville Ross River	106
16.10	Townsville Anchorages	107
16.11	Townsville VTS Map	108
16.12	Townsville Warning to Vessels – Ship Navigation Areas	109
16.13	Townsville harbour – Port busy Restricted area	110
16.14	Request to Immobilise Main Engines whilst alongside	111
16.15	Request to Immobilise Main Engines whilst at anchorage	112
16.16	Application for reduction in Tugs	113
16.17	Tug commands and indicated responses.	114
16.18	Gas Free Declaration	115
16.19	Chemist's Certificate of Compliance	116
16.20	Pilot Transfer Arrangements – Checklist	117

List of Tables

Table 1 – Arrival checklist	23
Table 2 – Departure checklist	23
Table 3 – Port VHF communications	28
Table 4 – Harbour contact details	29
Table 5 – Prior notification of movements	29
Table 6 – Inbound reporting requirements	35
Table 7 – Outbound and removal reporting requirements	36
Table 8 – Berth information	41
Table 9 – Sea Channel	50
Table 10 – Platypus Channel	51
Table 11 – Townsville Harbour	51
Table 12 – Ross Creek	51
Table 13 – Ross River	52
Table 14 – Breakwater Marina	52
Table 15– Speed limits – Vessels with draft > 10m	57
Table 16 – Speed limits – Vessels with LOA < 240 and UKC 1.3m to 1.8m	57
Table 17 – Speed limits – Vessels with draft less than 10m.	58
Table 18– Speed limits – Vessels with LOA less than 35m	58
Table 19 – Minimum under keel clearances	59
Table 20 – Tugs	72
Table 21 – Smit Lamnalco Towage Australia contact details	72
Table 22 – Tug usage guidelines	73
Table 23 – Permit requests	76
Table 24 – Notification	81
Table 25 – Emergency contacts	85

Table of amendments

Contact for enquiries and proposed changes. If you have any questions regarding this document or if you have a suggestion for improvements, please contact:

Contact officer: Regional Harbour Master (Townsville)

Phone: +61 7 4421 8100

Revision Date	Page number or section	Summary of Changes	Approved by
February 2009		First Issue	Regional Harbour Master
July 2015		Second Issue	Regional Harbour Master
December 2021		Third issue	Regional Harbour Master
January 2022	s3.10.1; s 9.2	Schedule changes	Regional Harbour Master
July 2022	s3.2; s3.9; s 8.43 s16.21	VTS description; Pilot transfer arrangements.	Regional Harbour Master
September 2022	s3.2, s9.1	Information updated	Regional Harbour Master
December 2022	16.15	Information Updated;	Regional Harbour Master
March 2023	Entire Document	Correction of numbering, broken links and updating of corporate forms	Regional Harbour Master
May 2023	s2.2.4; s3.11; s3.11.1; s3.11.2; s3.11.3; s9.1.1; s9.2	Permission to proceed Tug usage	Regional Harbour Master
July 2023	s7.8 s8.4, s8.4.3	Information Updated	Regional Harbour Master
November 2023	S 16.14, 16.15	Request to Immobilise Main Engines wording updated.	Regional Harbour Master
December 2024	Various	Information updated	Regional Harbour Master
January 2025	Various	Broken links updated	Regional Harbour Master